

SPRAY & BLASTING EQUIPMENT

SPRAY & BLASTING

BARENS

ITEM NO	DESC.
BA06273	GUN WITH LANCE

JGB

ITEM NO	DESC.
PPAH5230	50' HOSE - 3000PSI
PPAH5830	50' HOSE - 7200 PSI

ITEM NO	DESC.	PSI
JGB540	1/4" x 25'	3300
JGB541	1/4" x 50'	3300
JGB705	3/8" x 50'	3300

SAFETY AMERICA

ITEM NO	DESC.
MIADVANZ#30	GOGGLES

ITEM NO	DESC.
MIADVANZ	LENS COVERS

ACCESSORIES

PRESSURE WASHER GUN WITH LANCE

Trigger gun with molded grip lance. Gun and lance feature quick connect plugs on inlet and sockets on the outlet.

SPECIFICATIONS:
 8 GPM maximum
 4000 PSI maximum
 300 F maximum
 3/8" FPT inlet
 1/4" FPT discharge



PRESSURE WASHER HOSE

- Flexible and lightweight
- The tube and cover are resistant to most cleaning solutions



AIRLESS PAINT HOSE

- Light Weight
- Corrosion resistant
- Minimal hose coil memory
- Several sizes and pressures available



ADVANZ GOGGLES

- Disposable
- Anti-Fog Lens
- Fits Over eye glasses
- Can be worn with a half face respirator

When spray paint accumulates and obstructs vision, the painter simply turns the knob, advancing the film, clearing the vision. After 30 frame advances the goggle is thrown away.



ADVANZ LENS COVERS

- Disposable
- Anti-Fog Lens
- Contains 36 frames of film
- Fits all full faced respirators, hoods and face shields



251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



SPRAY & BLASTING EQUIPMENT

GRACO

ACCESSORIES

AIRLESS TIPS

ITEM NO	DESC.	COLOR	MAX WPR	TYPICAL APPL.	TIP GUARD
GLTXxxx	RAC X SWITCHTIP	Blue	4050 psi	Res., Comm..or Ind.	RAC X HandTite (246215)
GFFTxxx	FINE FINISH RAC X SWITCHTIP	Green	4050 psi	Cabinetry, Wood work, Metal and Fine Finish	RAC X HandTite (246215)
G286xxx	RAC 5 SWITCHTIP	Black	4050 psi	Residential, Commercial, Industrial	RAC 5 HandTite (243161)
GLL5xxx	LINELAZER RAC 5 SWITCHTIP	Yellow	4050 psi	Parking Lots, Roads, Warehouse Floors, Crosswalks and Athletic Fields	RAC 5 HandTite (243161)
GXHDxxx	NEW XHD RAC SWITCHTIP	Gray	7250 psi	Virtually all Paints and Coatings -Solvent and Water -Base	XHD (XHD001)



TIP GUARDS

ITEM NO	DESC.	GUN	TIP
G246215	RAC X HANDTITE TIP GUARD	Standard Graco Thread	RAC X, FFT, WR
G243161	RAC 5 HANDTITE TIP GUARD	Standard Graco Thread	RAC 5, RAC IV, RAC 5 LINELAZER
G243161	XHD RAC TIP GUARD	Standard Graco Thread	XHD RAC



SPRAY & BLASTING EQUIPMENT

SPRAY & BLASTING

GUNS

GRACO

ITEM NO	TRIGGER	TIP
G288420	2-FINGER	RAC X 517
G288421	2-FINGER	RAC 5 517
G288425	4-FINGER	RAC X 517

NEW CONTRACTOR GUN

- Repair Kit: 288488 • Working Pressure: 3600 psi (248 bar, 24.8 MPa)
- Instruction Manual: 311861
- Fluid Orifice Diameter: 0.125 in (3.2 mm)



NEW FTX GUN

- Repair Kit: 288488 • Working Pressure: 3600 psi (248 bar, 24.8 MPa)
- Instruction Manual: 311861
- Fluid Orifice Diameter: 0.125 in (3.2 mm)
- Swivel for improved maneuverability at the gun (224457).



ITEM NO	TRIGGER	TIP
G288429	2-FINGER	RAC X 515
G288430	4-FINGER	RAC X 515
G288431	4-FINGER	RAC 5 515

SILVER PLUS GUN

- Repair Kit: 235474 • Working Pressure: 5000 psi (345 bar, 34.5 MPa) (For 235462, use repair kit 235475)
- Fluid Orifice Diameter: 0.090 in (2.3 mm)
- Instruction Manual: 309740 0.037 in (0.94 mm): 235462 for light viscosity materials



ITEM NO	TRIGGER	TIP
G246240	2-FINGER	RAC X 517
G243283	2-FINGER	RAC 5 517

HEAVY DUTY TEXTURE GUN

- Repair Kit: 237260 • Working Pressure: 4000 psi (276 bar, 27.6 MPa)
- Instruction Manual: 308491 • Fluid Orifice Diameter: 0.125 in (3.2 mm)
- Unique design with large fluid passages, heavy duty spring and 4-finger trigger makes this gun ideal for high solids, smooth textures, mastics, and protective coatings



ITEM NO	TRIGGER	TIP
G241705	4-FINGER	RAC X 531

TITAN

ITEM NO	TRIGGER
WAG10	4-FINGER

G-10 XL AIRLESS GUN

- Countless hours of research and development have been devoted to manufacturing a full line of the best quality TITAN airless guns for every application imaginable - from the thinnest lacquers to the heaviest textures and roof coatings.
- Designed to minimize hand fatigue
 - Solid, safe construction
 - Precision trigger for accurate delivery



251-443-6110 Toll Free: 1-800-621-6952
 251-408-0410 Fax (In Alabama) 1-800-672-6707



SPRAY & BLASTING EQUIPMENT

BINKS/DEVILBISS

ITEM NO BK80295
DESC. 2 QUART PRESSURE CUP

ITEM NO BK981067
DESC. 2 QUART OUTFIT W/2100 GUN & HOSE

ITEM NO BK83C210
DESC. SINGLE REGULATOR, NO AGITATION

ITEM NO BK83C220
DESC. DOUBLE REGULATOR, NO AGITATION

ITEM NO BK83C211
DESC. SINGLE REGULATOR, WITH AGITATOR

ITEM NO BK83C221
DESC. DOUBLE REGULATOR, WITH AGITATOR

ITEM NO BK98C357
DESC. 2.8 GAL. TANK OUTFIT W/2100 GUN & HOSE

PRESSURE POTS

2 QUART PRESSURE CUP
2 quart steady-grip aluminum pressure cup with fluid pressure regulator and gauge, and hook handle.



2 QUART PRESSURE CUP
2 quart steady-grip aluminum pressure cup with fluid pressure regulator and gauge, and hook handle.



PRESSURE TANKS 2.8 GALLON

Zinc plated lid and all wetted parts in lid assembly and tank shell. Use for solvent-borne materials. Disposable liners available for ease of cleaning. The following configurations are available:



PRESSURE TANK OUTFIT 2.8 GALLON

2.8 gallon pressure tank outfit is ideal for all types of high volume Multi-color paint applications. 2 gallon pressure tank has a (zinc plated lid, tank shell and wetted parts). Outfit includes pressure tank with regulators and gauges, 2100 internal mix spray gun, 25 ft. each of air and fluid hose with connections, 15 ft. of air compressor hose with connections.



PRESSURE POT GUNS

BINKS/DEVILBISS

ITEM NO BK2100
DESC. CONVENTIONAL SPRAY GUN

ITEM NO DJGA510
DESC. CONVENTIONAL SPRAY GUN

ITEM NO DMBC510
DESC. CONVENTIONAL SPRAY GUN

BINKS 2100 GUN

NEW from BINKS, The next generation in conventional spray guns, the 2100 Series. Corrosion resistant SS fluid passages, Air Control Valve in Ergonomic handle, with new MAXIMUM DELIVERY air nozzles. Largest selection of air and fluid nozzles in the industry behind it, the Model 2100 will spray all conventional coatings, including high solids.



JGA 510 SPRAY GUN

Setting industry standards for high-production performance, the JGA manual spray gun also offers the comfortable fit and feel operators prefer. An economical option for waterborne and solvent-based material applications, the JGA air spray gun delivers the quality results you need for tough applications.



MBC 510 SPRAY GUN

Combining a drop forged aluminum body with a forged removable spray head, the MBC-510 spray gun is ideal for applications that require maximum output and quick changeovers. Removable spray head allows for reduced downtime on nozzle combination changeovers. MBC spray guns have nickel-plated brass fluid passages and 400-grade stainless steel fluid tip and needle.



SPRAY & BLASTING EQUIPMENT

SPRAY & BLASTING

Mi-TM

PRESSURE WASHERS

ITEM NO	DESC.	PK
MTM-CM2700MLB	2700PSI 2.4 GPM	1

CHOREMASTER PRESSURE WASHER

Pump: Direct drive axial Mi-T-M pump · Stainless-steel and brass unloader · Built-in low pressure detergent injection · Fixed pressure · Thermal relief valve pump protection · In-line water strainer

Engine: Mi-T-M Series engine with low oil shutdown

Frame: 1-inch powder coated steel tube handle for easier handling · Solid steel axle · Dual rubber isolators · Powder coated steel base plate · Quick release gun/wand holder and hose wrap

Unit Includes: Quick connect nozzles (15° and 25° and detergent nozzle) · 25-foot x 3/8-inch wire braided pressure hose · Professional-grade insulated trigger gun with safety lock-off · Two piece -36 inch lance



ITEM NO	DESC.	PK
MTM-WP30004MHB	3000PSI 2.4 GPM	1

WORK PRO PRESSURE WASHER

Mi-T-M Corporation recently introduced its new Work Pro Series direct drive, cold water pressure washers, perfect for any commercial or residential application. Work Pro Series Pressure Washer features a 6.5 HP Honda OHV engine with low oil protection. 3000 PSI at 2.4 GPM, direct drive crankshaft pump with brass manifold. Brass and stainless-steel unloader. Thermal relief valve pump protection. Fixed pressure. Built-in low pressure detergent injection. In-line water strainer. 1-inch powder coated steel tube handle allows for increased portability. 3/16-inch powder coated steel base plate. 10-inch pneumatic tubed tire with solidsteel axle. Professional grade insulated trigger gun with safety lock-off

- Reliable 6.5 HP Honda OHV engine with low oil protection
- 3000 PSI at 2.4 GPM
- Professional grade insulated trigger gun with safety lock-off. 36" lance, 25' x 3/8" wire braided pressure hose. Quick connect nozzles, 15 and 25 degrees, and detergent nozzle



ITEM NO	DESC.	PK
MTM-CA40041FHA	4000PSI 3.5 GPM	1

CA ALUMINUM SERIES

Pump: Direct drive triplex piston AR pump with ceramic plungers · Stainless-steel and brass Mi-T-M unloader · Adjustable pressure · Forged brass manifold · Thermal relief valve · In-line water strainer

Engine: Performance-proven Honda OHV engine with low-oil protection

Frame: Light, corrosion resistance aluminum frame · Aluminum tube handles for easier pulling · Patented vibration isolation plate with four rubber isolators for reduced movement · Aluminum base plate and solid full-length axle · Convenient nozzle holder for quick connect nozzles · Dual rubber isolators

Unit Includes: Quick connect nozzles (0°, 15° and 25°) · 50-foot x 3/8-inch non-marking hose with quick connects, swivel and bend restrictors · Professional-grade insulated trigger gun with safety lock-off · 48-inch lance with rubber grip



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



SPRAY & BLASTING EQUIPMENT

PRESSURE WASHERS

Mi-TM

ITEM NO	DESC.
MTM-CBA40041FHA	400PSI 3.5 GPM

PK
1

CBA ALUMINUM SERIES - BELT DRIVE

Pump: Belt drive triplex piston AR pump with ceramic plungers · Stainless-steel and brass Mi-T-M unloader with adjustable pressure · Forged brass manifold · Thermal relief valve · Water filter with clear sleeve for screen inspection

Engine: Performance-proven Honda OHV engine with low-oil protection

Frame: Patented vibration isolation plate with four rubber isolators for reduced movement · Lightweight, corrosion resistance aluminum frame · Aluminum tube handles for easier pulling · Aluminum base plate · Two-piece belt guard for quick access to belts · Solid 7/8-inch diameter full-length threaded axle Convenient nozzle holder for quick connect nozzles · Dual rubber isolators

Component: Dual cogged belt drive system for increased belt life

Unit Includes: Quick connect nozzles (0°, 15°, 25° and 40°) · 50-foot x 3/8-inch non-marking hose with quick connects, swivel and bend restrictors Professional-grade insulated trigger gun with safety lock-off · 48-inch lance with rubber grip



CBA ALUMINUM SERIES- 4.0 GPM

ITEM NO	DESC.
MTM-CBA40041FHG	4000PSI 4.0 GPM

PK
1

Pump: Belt drive triplex piston General pump with ceramic plungers · General pumps feature an external bypass system which allows more water into the system to protect from heat build-up · Stainless-steel and brass Mi-T-M unloader with adjustable pressure · Forged brass manifold · Thermal relief valve · Water filter with clear sleeve for screen inspection

Engine: Performance-proven Honda OHC engine with low-oil protection

Frame: Patented vibration isolation plate with four rubber isolators for reduced movement · Lightweight, corrosion resistance aluminum frame · Aluminum tube handles for easier pulling · Aluminum base plate · Two-piece belt guard for quick access to belts · Solid 7/8-inch diameter full-length threaded axle · Convenient nozzle holder for quick connect nozzles · Dual rubber isolators

Component: Dual cogged belt drive system for increased belt life

Unit Includes: Quick connect nozzles (0°, 15°, 25° and 40°) · 50-foot x 3/8-inch non-marking hose with quick connects, swivel and bend restrictors · Professional-grade insulated trigger gun with safety lock-off · 48-inch lance with rubber grip



20" SURFACE CLEANER

ITEM NO	DESC.	PK
SC20	20"	1

- 4000-PSI rated
- Heavy-duty anodized aluminum handle
- Professional-grade high pressure trigger gun
- Heat-treated sealed pressure swivel- requires no maintenance
- 180 degree F maximum temperature
- 3.0 to 5.0-GPM water volume



251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



SPRAY & BLASTING EQUIPMENT

SPRAY & BLASTING

GRACO

PUMPS

ITEM NO	DESC.	PK
G253958	STAND	1
G262019	HI-BOY	1

390 ELECTRIC AIRLESS SPRAYER

If you're looking for a solid workhorse of a sprayer that is built for the professional who is just "starting out" then the 390 is for you. This is Graco's lightest professional sprayer weighing in at only 30 lbs! The 390 is the ideal sprayer for residential jobs because it is so lightweight and portable. Hands down the 390 is the best value in small electric sprayers.

Specifications:
MAX TIP SIZE: 0.021
MAX GPM [LPM]: 0.47 [1.8]
MAX PSI [BAR]: 3300 [227]
MOTOR: 5/8 hp DC

includes:
• FTx™ Gun
• RAC X™ 515 SwitchTip™ and Guard
• 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax™ II Airless Hose



ITEM NO	DESC.	PK
G233960	STAND	1
G233962	HI-BOY	1
G233961	LO-BOY	1

ULTRA 395 ELECTRIC AIRLESS SPRAYER

The Ultra 395's reliability and performance has made it Graco's most popular small electric sprayer. Features Smart Control 1.0 Pressure Control which provides microprocessor control that delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Proven technology and design make it perfect for professionals who spray daily with a wide range of coatings.

Specifications:
MAX TIP SIZE: 0.023
MAX GPM [LPM]: 0.54 [2.0]
MAX PSI [BAR]: 3300 [227]
MOTOR: 7/8 hp TEFC DC

includeS:
• Contractor™ Gun
• RAC X 517 SwitchTip and Guard
• 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose



Lighted Power Plug

- Lighted plug gives quick, positive indication that sprayer has power
- Ideal for trouble-shooting on the job site



Endurance Pump

- Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel cylinder
- Proven design and rugged construction
- QuikAccess™ intake valve requires only a hammer to access the intake ball to easily clean or clear debris



- Offset handle with rubber comfort grip is positioned to kick sprayer away from leg for comfortable carrying.

251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



SPRAY & BLASTING EQUIPMENT

GRACO

ITEM NO	DESC.	PK
G249915	STAND	1
G249917	HI-BOY	1
G249916	LO-BOY	1

STANDARD MODEL

ITEM NO	DESC.	PK
G258720	HI-BOY	1
G258722	LO-BOY	1

PREMIUM MODEL

ITEM NO	DESC.	PK
G258719	HI-BOY	1

Premium Model includes:

All of the standard model features plus smart control 2.0 digital display. On board tool box. WatchDog pump protection system. Fast flush cleaning system and **NEW QuikReel** integrated hose reel.

STANDARD MODEL

ITEM NO	DESC.	PK
G258724	HI-BOY	1

PREMIUM MODEL

ITEM NO	DESC.	PK
G258723	HI-BOY	1

Premium Model includes:

All of the standard model features plus smart control 3.0 digital display. On board tool box. WatchDog pump protection system. 100 feet of hose. Fast flush cleaning system and **NEW QuikReel** integrated hose reel.

PUMPS

ULTRA MAX II - 495 ELECTRIC AIRLESS SPRAYER

The Ultra Max II 490/495/595 brings the leading technology and performance of Graco's larger Ultra Max II models into these compact and lightweight sprayers. The Ultra Max II 490/495/595 sprayers are the best choice for professionals looking for superior performance and control for daily use on residential jobs.

Specifications:
 MAX TIP SIZE: 0.025
 MAX GPM [LPM]: 0.60 [2.3]
 MAX PSI [BAR]: 3300 [227]
 MOTOR: 1.2 hp Brushless DC
 includes:
 • Contractor Gun
 • RAC X 517 SwitchTip and Guard
 • 1/4 in x 50 ft [6.4 mm x 15 m]
 BlueMax II Airless Hose



ULTRA MAX II 695 ELECTRIC AIRLESS SPRAYER

The Ultra Max II 695/795/1095/1595 are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Designed to get the job done faster, these sprayers have features including the lifetime guaranteed Advantage Drive System, a SmartControl 3.0 Pressure Control that delivers a consistent spray without any pressure fluctuations, an amazingly durable endurance pump and many more!

Ultra Max II 695
 Specifications:
 MAX TIP SIZE: 0.031-1 Gun
 0.023-2 Guns
 MAX GPM [LPM]: 0.95 [3.6]
 MAX PSI [BAR]: 3300 [227]
 MOTOR: 2.0 hp Brushless DC
 includes:
 • Contractor Gun
 • RAC X 517 SwitchTip and Guard
 • 1/4 in x 50 ft [6.4 mm x 15 m]
 BlueMax II Airless Hose



ULTRA MAX II 795 ELECTRIC AIRLESS SPRAYER

The Ultra Max II 695/795/1095/1595 are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Designed to get the job done faster, these sprayers have features including the lifetime guaranteed Advantage Drive System, a SmartControl 3.0 Pressure Control that delivers a consistent spray without any pressure fluctuations, an amazingly durable endurance pump and many more!!

Ultra Max II 795 Hi-Boy
 Specifications:
 MAX TIP SIZE: 0.033-1 Gun
 0.025-2 Guns
 0.019-3 Guns
 MAX GPM [LPM]: 1.10 [4.1]
 MAX PSI [BAR]: 3300 [227]
 MOTOR: 2.2 hp Brushless DC
 includes:
 • Contractor Gun
 • RAC X 517 SwitchTip and Guard
 • 1/4 in x 50 ft [6.4 mm x 15 m]
 BlueMax II Airless Hose



251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



SPRAY & BLASTING EQUIPMENT

SPRAY & BLASTING

GRACO

PUMPS

STANDARD MODEL

ITEM NO	DESC.	PK
G258728	HI-BOY	1

PREMIUM MODEL

ITEM NO	DESC.	PK
G258727	HI-BOY	1

Premium Model includes:

All of the standard model features plus smart control 2.0 digital display. On board tool box. WatchDog pump protection system. Fast flush cleaning system and **NEW QukReel** integrated hose reel.

ULTRA MAX II 1095 ELECTRIC AIRLESS SPRAYER

The Ultra Max II 695/795/1095/1595 are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Designed to get the job done faster, these sprayers have features including the lifetime guaranteed Advantage Drive System, a SmartControl 3.0 Pressure Control that delivers a consistent spray without any pressure fluctuations, an amazingly durable endurance pump and many more!

Ultra Max II 1095 Hi-Boy
Specifications:
MAX TIP SIZE: 0.035-1 Gun
0.027-2 Guns
0.021-3 Guns
MAX GPM [LPM]: 1.20 [4.5]
MAX PSI [BAR]: 3300 [227]
MOTOR: 2.4 hp Brushless DC

- includes:
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose




HI-BOY
STANDARD

LINELAZER 3400 GAS AIRLESS STRIPING MACHINE

The LineLazer 3400 is the preferred choice with parking lot and seal coating contractors who are looking for professional performance and features, in a one-gun striper.

MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
(1 Gun) 0.027	(1 Gun) 0.75	(2.8) 3300 (227)



LINELAZER IV 3900 & 5900 GAS AIRLESS STRIPING MACHINE

Both the LineLazer IV 3900 and 5900 are the clear leaders for 2-gun professional stripers and are designed specifically to deliver the most precise and consistent lines in the industry.

DESC	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
LineLazer IV 3900	0.036 (1 Gun)	1.25 (4.7)	3300 (227)
LineLazer IV 3900	0.025 (2 Gun)	1.25 (4.7)	3300 (227)
LineLazer IV 5900	0.043 (1 Gun)	1.60 (6.0)	3300 (227)
LineLazer IV 5900	0.029 (2 Gun)	1.60 (6.0)	3300 (227)



ITEM NO	PK
G248861	1

ITEM NO	DESC	PK
G248862	3900 (1 Gun)	1
G248863	3900 (2 Gun)	1


ITEM NO	DESC	PK
G248866	5900 (1 Gun)	1
G248867	5900 (2 Gun)	1

251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



SPRAY & BLASTING EQUIPMENT

GRACO



PUMPS

XTREME AIR POWERED AIRLESS

Graco Xtreme NXT high-pressure air-operated airless sprayers provide long-lasting durability that boosts your productivity. Designed with Graco's new NXT Air Motor, the Xtreme NXT is proven to outperform and outlast all other sprayers in its class. It easily handles the toughest protective coatings and corrosion control materials.

- Designed with NXT Air Motor technology, tested and proven to last 10 times longer than the Graco King
- DataTrak monitor for material tracking, system diagnostics and runaway control
- Easy access air controls for quick, easy adjustments
- De-icing model reduces downtime due to freeze-ups
- Three motor sizes and 11 models available to fit your specific application. 25:1 up to 90:1
- Medium to ultra-high viscosity coatings
- Plural component coatings
- High-solids epoxy primers and coatings
- High-solids polyurethane top coatings
- Waterborne coatings
- Fire retardant coatings
- Marine and ship building
- Offshore oil platform production
- Railcar manufacturing and repair
- Nuclear and conventional power facilities
- Tank and pipe linings
- Container manufacturing



TITAN

ITEM NO	DESC.	PK
TT805000	Skid	1
TT805016	Hi-Boy	1

IMPACT 440 AIRLESS PAINT SPRAYER

The IMPACT™ 440 is ideally suited for residential, property maintenance, and small commercial applications. This high performance electric airless sprayer will apply all standard architectural primer, paints and coatings efficiently.

- The #1 selling sprayer in the industry is now even better with enhanced features and performance
- Designed to consistently spray 50-100 gallons per week
- Includes LX-80II GUN, TR1 REVERSIBLE TIP, and 50 FOOT HOSE

Sprays: stains, lacquers, enamels, latex, and other low and medium viscosity coatings.

GPM .54



ITEM NO	DESC.	PK
TT805002	Skid	1
TT805004	Hi-Boy	1

IMPACT 640 AIRLESS PAINT SPRAYER

The IMPACT™ 640 continues the climb to increased performance. This mid-range unit is perfect for residential, property maintenance, rental, and light commercial applications and is equipped with digital technology for improved efficiency.

- Features DigiTrac™ Integrated Digital Display that includes an anti-theft lock
- Designed to consistently spray 75-100 gallons per week
- Recommended for small and medium residential and commercial projects
- Includes LX-80II GUN, TR1 TIP, and 50 FOOT AIRLESS HOSE

Sprays stains, lacquers, enamels, latex and other low and medium viscosity coatings.

GPM .70



251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



SPRAY & BLASTING EQUIPMENT

SPRAY & BLASTING

TITAN

ITEM NO	DESC.	PK
TT0290018	Gas	1

PUMPS

POWRTWIN 8900 PLUS

A step up for projects that requires greater power and output, the POWRTWIN™ 8900 PLUS is our best-selling hydraulic piston sprayer, favored by contractors who want to complete large application jobs in record time with high profit margins. Finally a portable sprayer that can handle new construction all the way up to protective coatings.

•Includes LX-80II GUN, 517 TR1 REVERSIBLE TIP, and 50 FOOT AIRLESS HOSE

- Dependable Honda® 200cc OHV gas-powered engine with Low-Oil Alert
- Fast, easy, tool-free convertibility to 2 hp Extended-Life DC electrical motor
- Handles up to five guns
- Precise pressure control from 400 psi to 3600 psi, for spraying low viscosity primers all the way up to heavy bodied coatings, block filler and elastomerics

GPM 2.5



POWRCOAT 975

POWRCOAT™ sprayers are great for virtually any application, including architectural, industrial maintenance, corrosion control, cold applied roofing, waterproofing, and marine protective coatings

- Anti-icing motor ensures continuous operation
- Proven spool valve design with only five moving parts
- High efficiency air motor
- Long-life packings Severe Service™ pump
- Large 16" pneumatic wheels
- Integrated wall mount bracket
- Heavy duty cart
- Hose wrap and gun holder
- Heavy duty crane hook
- Lubrication adjustment for versatile use
- High capacity outlet filter reduces tip plugging
- Lift handles

GPM 2.1



ITEM NO	DESC.	PK
TT0533975	75:1	1

POWRLINER 850

The POWRLINER™ 850 is designed for entry level contractors, sports turf managers and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf.

- Recommended for smaller jobs on pavement, grass or turf.
- Simple, compact design weighs only 70 lbs. - easy to use, transport and store. Only requires one operator to transport and fits easily in most automobile trunks.
- Powered by a dependable, easy-starting 37.7 cc 4-stroke engine
- Equipped with LX-40 SPRAY GUN, 1908 (4" pattern) TIP and 50 FOOT AIRLESS HOSE.
- Designed to carry 5-gallon pail of paint.
- Removable gun for stenciling and painting.

GPM .33



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



SPRAY & BLASTING EQUIPMENT

BULLARD

ITEM NO
US88TVX

SAND BLASTING

88VX SERIES AIRLINE RESPIRATOR

The Bullard 88VX Series airline respirators offer advancements in comfort and reliable respiratory protection for abrasive blasters and painters. The 88VX Respirator is NIOSH approved as a Type C and CE Continuous Flow Class Respirator (Approval No. TC-19C-293).

- Sewn-in neck cuff provides a physical barrier to airborne contaminants
- Double lining in the neck area enhances durability and protection
- Lightweight inner shell with an adjustable headband suspension
- Airflow is channeled directly to the user's breathing zone
- No fit testing required
- Optional cheek pads for increased stability



CLEMCO

ITEM NO
CL001179

3 Cuft CLASSIC BLAST MACHINE

High-performance, versatile blast cleaning system removes contamination, corrosion, mill scale, and coatings from most surfaces. Produces a uniform surface texture, and creates a surface profile to increase bonding for coatings. Model 1648 holds 3 cubic feet of abrasive providing approximately 15 minutes of blasting at 100 psi with a No. 6 (3/8-inch) nozzle



ITEM NO
CL21070

6 Cuft CLASSIC BLAST MACHINE

High-performance, versatile blast cleaning system removes contamination, corrosion, mill scale, and coatings from most surfaces. Produces a uniform surface texture, and creates a surface profile to increase bonding for coatings. Model 2443 Lo-Pot holds 6 cubic feet of abrasive providing 30 minutes of blasting at 100 psi with a No. 6 (3/8-inch) nozzle. The Lo-Pot Blast Machines are designed for ease in abrasive loading.



ITEM NO
CL24003

APOLLO 600 SUPPLIED-AIR RESPIRATORS

The Apollo 600 LP is a type CE, continuous-flow, supplied-air respirator as defined by the National Institute for Occupational Safety and Health (NIOSH) for abrasive blasting to be used with an ambient air pump. The Apollo 600 is high-visibility red and offered with two suspension options.



ITEM NO
CL04410

COOL AIR TUBE

The Clemco Cool Air Tube (CAT) allows the blast operator to control the temperature and volume of air to a Clemco high-pressure Type CE continuous flow supplied-air respirator within a preset range and to cool the air by as much as 50° F.



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



SPRAY & BLASTING EQUIPMENT

SPRAY & BLASTING

CLEMCO

ITEM NO
CL03578

SAND BLASTING

CPF 20 AIR FILTER

Clemco's CPF in-line air filters remove moisture, oil, and dirt particles from compressed air before it reaches your respirator. Multi-stage filtration system includes activated charcoal to eliminate odors and improve the "taste" of your breathing air. Available for one to four air lines; used with HP Model respirators. NOTE: CPF filters do not remove CO or convert CO to CO₂, or remove other toxic gases.



ITEM NO
CL03547

REPLACEMENT FILTER CARTRIDGES FOR CPF 20



ITEM NO	MODEL NO.	ORIFICE ID	LENGTH
CL23513	TSP-3	3/16"	4-3/4"
CL23514	TSP-4	1/4"	5-3/4"
CL23515	TSP-5	5/16"	6-1/4"
CL23516	TSP-6	3/8"	7-3/4"
CL23517	TSP-7	7/16"	8-1/2"
CL23518	TSP-8	1/2"	9-5/8"

TUNGSTEN CARBIDE LINED RUBBER JACKETED BLAST NOZZLES

A blast nozzle accelerates the air and abrasive as the mixture exits the end of the hose. The taper and length of the nozzle's inlet and outlet determine the pattern and velocity of the abrasive exiting the nozzle. The composition of the liner material determines its resistance to wear.



RPB

ITEM NO
RPBNV2000CT

NOVA 2000 HOOD

The RPB NOVA 2000™ has been tested and approved to Respiratory Protection standards worldwide including NIOSH, CE and AS/NZS. NOVA 2000™ has been designed specifically for blasting, by blasting experts. Lightweight pillow foam padding provides maximum comfort and reduces outside noise to a minimum. A soft breathable inner cape allows perfect airflow while keeping out contaminants. The advanced Air Duct Distribution System creates a constant flow of breathable air, prevents fogging and keeps workers cool. The large, double lens offers optimum vision without irritating side glare. Every feature of the NOVA 2000™ has been designed, manufactured and tested to ensure workers' safety and comfort under even the most demanding conditions.



ITEM NO
RPBNV3CT

NOVA 3 HOOD

Meets standards worldwide, including NIOSH, ANSI Z87.1 - 2010+, ANSI Z89.1 - 2012 Type 1 Class C. The ingenious, fully adjustable, internal "Clever Fit Padding" (patent pending) allows helmets to be individually customized. This avoids discomfort and irritation, giving workers a clear head even under the pressures of their work. The padding has a second, vital, purpose. It's positioned to help absorb sound within the helmet, protecting workers' hearing. Padding is easily removed, and fully machine washable, making helmets hygienic and pleasant to wear even in the most extreme temperatures.



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707

