

BRUSHES

MATCH THE BRUSH TO THE PROJECT

A professional paint brush applies a smoother finish with less brush strokes; paint is applied faster and with less effort. Plus, if properly cleaned and stored will last for years. Inexpensive paint brushes can shed bristles into the finish and are difficult to work with, producing an inferior finish and more frustration. Matching the right application tool to your job begins with the actual type of primer, paint or clear finish you are using. Paint brushes are categorized according to the type of coating being applied. Selecting the correct bristle is important, this is usually displayed on the package.

Larger brushes carry more paints so there is less dipping to refill, providing maximum coverage with fewer strokes. Selecting a good quality brush is important for a good finish. It is important to select the proper brush for job.

BRUSH

3" - 4"
2" - 2 1/2"
2" - 2 1/2" (angle sash)
1" - 1 1/2" (angle or flat)

SURFACE

Exterior siding, decks, fences, masonry, walls, ceilings and doors
Baseboards, cabinets, furniture, stairs, railings, shutters, gutters
Window frames, casings, mouldings, cutting-in edges of walls & ceilings
Hobbies & crafts, window mullions, tight corners, very detailed areas

DYNAMIC

ANGLE SASH

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-208	HB199105	2"	2 3/4"	9/16"	10
9718-209	HB199106	2-1/2"	3"	5/8"	10
9718-210	HB199107	3"	3 1/4"	21/32"	10

FLAT SASH

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-560	HB199013	1"	2 1/4"	2/5"	10
9718-561	HB199015	2"	2 7/5"	3/5"	10
9718-548	HB199017	3"	3 1/2"	4/5"	10

ANGLE SASH

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-212	HB188005	2"	2 3/4"	9/16"	10
9718-213	HB188006	2-1/2"	3"	5/8"	10
9718-214	HB188007	3"	3 1/4"	23/32"	10

FLAT SASH

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-216	HB188105	2"	2 3/4"	9/16"	10
9718-217	HB188106	2-1/2"	3"	5/8"	10
9718-218	HB188107	3"	3 1/4"	23/32"	10
9718-219	HB188110	4"	3 1/2"	3/4"	5

SOLOMON POLYESTER/NYLON

- Solomon's polyester/nylon blend brush head delivers outstanding value for a production applicator.
- Premium features include a stainless ferrule and a hardwood handle.
- The Solomon provides excellent performance in all paints.



COMMANDER POLYESTER

- The premium quality Commander's pro features include a chisel brush head and a square stainless steel ferrule and tapered solid round polyester filament.
- After a normal "break-in period" it delivers exceptional results making it ideal for major projects and professional use.



251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



APPLICATORS

DYNAMIC

ANGLE SASH

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-530	HB223704	1 1/2"	2 5/8"	1/2"	5
9718-528	HB223705	2"	2 3/16"	3/8"	5
9718-529	HB223706	2 1/2"	2 7/16"	7/16"	5

FLAT SASH

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-523	HB250004	1 1/2"	2 1/2"	3/4"	5
9718-524	HB250005	2"	3 3/8"	3/4"	5
9718-526	HB250007	3"	3 3/4"	3/4"	5
9718-527	HB250010	4"		3/4"	5

ANGLE SASH

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-520	HB198005	2"	2 5/16"	7/16"	6

FLAT SASH

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-516	HB198105	2"	2 7/16"	5/8"	6
9718-517	HB198106	2 1/2"	2 7/8"	5/8"	6
9718-518	HB198107	3"	3 1/8"	3/4"	6

JOBGING	ITEM NO	SIZE	PK
9718-001	HB280001	1/2"	36
9718-002	HB280003	1"	36
9718-003	HB280004	1 1/2"	36
9718-004	HB280005	2"	36
9718-005	HB280006	2 1/2"	12
9718-006	HB280007	3"	12

JOBGING	ITEM NO	SIZE	PK
9718-007	HB280010	4"	12

JOBGING	ITEM NO	SIZE	PK
9718-008	HB280102	4" DBL	12

OVATION GOLD & WHITE POLYESTER

- Excellent quality sashes
- Blended gold and white polyester
- Plastic handle



ARISTOCRAT WHITE CHINA BRISTLE

- Professional quality
- 100% white bristle offers superior length, thickness and taper to ensure a professional finish
- Best used with alkyd or oil based paints
- Stainless steel ferrule
- Unfinished hardwood handle



CHIPPER (RESIN) BRUSHES 100% WHITE BRISTLE

- Economy 100% white bristle, square trim
- Tin plated ferrules, unfinished wood handle

WHITE CHIPPER



SINGLE CHIPPER



DOUBLE CHIPPER



DBL

251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



APPLICATORS

B R U S H E S

JOBGING	ITEM NO	SIZE	PK
9701-055	8505-1	1"	50
REPLACED	9718-177		
9701-056	8505-2	2"	50
REPLACED	9718-178		
9701-057	8505-3	3"	40
REPLACED	9718-179		
9701-058	8505-4	4"	30
REPLACED	9718-180		

FOAM BRUSH HIGH DENSITY

- High density polyurethane foam with beveled end and wooden dowel style handle
- Use with all finishes, except shellac and lacquer
- Leaves no brush marks or loose bristles
- Use on all smooth surfaces

SOLD IN CASES ONLY



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9701-054	3550-4	4"	2 1/2"	1 1/4"	6
REPLACED	9718-165				

STAIN BRUSHES

Blended polyester/China bristle filaments in a 7/8" thick block ferrule brush. Plastic threaded handle for extension pole. Use on shake, cedar and masonry surfaces.



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK.
9718-402	HB216605	2"	1 7/8"	3/8"	12
9718-403	HB216606	2 1/2"	2 1/4"	1/2"	12
9718-404	HB216607	3"	2 1/8"	7/16"	12

RADIATOR BRUSHES

- Bent black bristle radiator brushes



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9701-110	23115	1-1/2"	2 3/16"	1/2"	1
9701-111	23120	2"	1 15/16"	7/16"	12
9701-112	23130	3"	2 3/16"	1/2"	12

PRO SOLUTIONS WHITE CHINA BRISTLE

- Filament: White China Bristle
- Trim: Chisel
- Ferrule: Brass-plated steel
- Handle: Beavertail Handle



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-207	P3972	2"	2 7/16"	9/16"	12
REPLACED	9703-119				
9991-208	P3973	3"	3 11/16"	11/16"	12
REPLACED	9703-118				
9991-209	P3974	4"	3 11/16"	7/8"	6
REPLACED	9703-117				

FACTORY SALE SYNTHETIC BRUSHES

Gold polyester, chisel trim. Brass-plated steel ferrule. Black solid plastic handle.



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



APPLICATORS

PURDY

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9936-050	144-380330	3"	3 3/16"	5/8"	6

3" PURDY XL SPRIG PAINT BRUSH - TYNEX OREL

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Flat, Nylon/Polyester
- Ferrule: Round Edge Brushed Copper
- Handle: Beaver Tail - Natural Hard Wood



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9936-054	144-400330	3"	3 7/16"	7/8"	6

3" PURDY XL SWAN PAINT BRUSH - SATIN EDGE, TYNEX OREL

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Nylon/Polyester
- Ferrule: Square Edge Brushed Copper
- Handle: Beaver Tail - Sealed Natural Hard Wood



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9936-230	144-380730	3"	3 7/16"	5/8"	6

3" PURDY - PRO-EXTRA GLIDE ANGLED SASH PAINT BRUSH TYNEX, CHINEX & OREL

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Flat, Nylon, China, Polyester Bristle
- Ferrule: Round Edge Stainless Steel
- Handle: Beaver Tail - Natural Hard Wood



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9936-231	144-400730	3"	3 11/16"	7/8"	6

3" PURDY - PRO-EXTRA SWAN PAINT BRUSH TYNEX, CHINEX & OREL

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Nylon, China, Polyester Bristle
- Ferrule: Square Edge Stainless Steel
- Handle: Beaver Tail - Natural Hard Wood



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



WOOSTER

CHINEX® FTP DUPONT

- Filament: 100% White Dupont Chinex
- Trim: Chisel construction
- Ferrule: Rust-resistant steel
- Handle: Sealed maple wood

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-504	4410-2	2"	2 11/16"	9/16"	6
9991-505	4410-2.5	2 1/2"	2 15/16"	5/8"	6
9991-506	4410-3	3"	3 3/16"	11/16"	6

ANGLE SASH



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-507	4411	2 1/2"	2 11/16"	5/8"	6

ANGLE SHORTCUT



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-526	4415	2 1/2"	2 15/16"	5/8"	6

ANGLE VARNISH



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-511	4413	3"	3 3/16"	11/16"	6

VARNISH



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-525	4414	3"	3 7/16"	7/8"	6

WALL



APPLICATORS

WOOSTER

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-376	4176-3	3"	3 7/16"	11/16"	6

ULTRA/PRO® FIRM SABLE PROFESSIONAL VARNISH PAINT BRUSH

- Filament: Purple Nylon/Sable Polyester
- Trim: Chisel construction
- Ferrule: Round steel
- Handle: Beaver Tail Sealed Maple wood



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-375	4173-3	3"	3 7/16"	7/8"	6

ULTRA/PRO® FIRM JAGUAR PROFESSIONAL GENERAL PURPOSE PAINT BRUSH

- Filament: Purple Nylon/Sable Polyester
- Trim: Chisel construction
- Ferrule: Square steel
- Handle: Beaver Tail Sealed Maple wood



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-417	4157-3	3"	3 3/16"	11/16"	6

ULTRA/PRO® EXTRA FIRM SABLE PROFESSIONAL VARNISH PAINT BRUSH


- Filament: Chisel, Synthetic Bristle
- Trim: Chisel construction
- Ferrule: Round steel
- Handle: Beaver Tail Sealed Maple wood



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-419	4156-3	3"	3 7/16"	7/8"	6

ULTRA/PRO® EXTRA FIRM JAGUAR- PROFESSIONAL PAINT BRUSH

- Filament: Chisel, Synthetic Bristle
- Trim: Chisel construction
- Ferrule: Square steel
- Handle: Beaver Tail Sealed Maple wood



251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



WOOSTER

ULTRA/PRO® NYLON & POLYESTER

- Filament: Purple Nylon/Sable Polyester
- Trim: Chisel construction
- Ferrule: Rust-resistant steel
- Handle: Sealed Maple wood

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-428	4174-2	2"	2 11/16"	9/16"	6
9991-394	4174-2.5	2-1/2"	2 15/16"	5/8"	6
9991-395	4174-3	3"	3 3/16"	11/16"	6

LINDBECK ANGLE SASH



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-398	4177-2.5	2-1/2"	2 15/16"	5/8"	6

LINDBECK SABLE ANGLE VARNISH



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-401	4181-2	2"	2 7/16"	7/16"	6
9991-402	4181-2.5	2-1/2"	2 11/16"	1/2"	6

WILLOW THIN ANGLE SASH



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-429	4176-2	2"	2 11/16"	9/16"	6
9991-430	4176-2.5	2-1/2"	2 15/16"	5/8"	6
9991-376	4176-3	3"	3 3/16"	11/16"	6

FIRM SABLE VARNISH



WHITE MAJESTIC

- Filament: White China Bristle
- Trim: Chisel construction
- Ferrule: Round rust-resistant steel
- Handle: Sealed maple wood

JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9991-500	Z1222-2	2"	2 15/16"	9/16"	6
9991-501	Z1222-2.5	2-1/2"	3 3/16"	5/8"	6

ANGLE SASH



JOBGING	ITEM NO	SIZE	LEN.	THICK	PK
9848-553	L1104-2	2"	3 3/16"	9/16"	6
9848-554	L1104-2.5	2-1/2"	3 3/16"	5/8"	6
9848-555	L1104-3	3"	3 7/16"	11/16"	6

VARNISH



251-443-6110 Toll Free: **1-800-621-6952**
251-408-0410 Fax (In Alabama) **1-800-672-6707**

