

ACCUMETRIC

JOBGING	ITEM NO.	SIZE	COLOR	PK
9701-061	M60.01	Cartg.	Clear	12
REPLACED 9705-001				

CAULK

GE SILICONE SEALANT

Permanently weatherproof and watertight. Will not crack, crumble, dry out or peel. Adheres to most building materials; glass, masonry, metals and woods. Remains permanently flexible.
FULL CASES ONLY

DAP® ALEX PLUS® ACRYLIC LATEX CAULK PLUS SILICONE 10.1OZ.

Superior quality, multi-purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew-resistant. Interior/exterior use. Paintable. Water clean-up. 35 year durability guarantee. Exceeds ASTM C834 specifications.
FULL CASES ONLY



JOBGING	ITEM NO.	SIZE	COLOR	PK
9981-279	18152	Cartg.	White	12

MOBILE PAINT

JOBGING	SIZE	COLOR	PK
60-21-43	Cartg.	White	12

WEATHERTITE™ PREMIUM 100 ACRYLIC ADHESIVE

- A quality Interior/Exterior 100% Acrylic Caulk
- Fortified with silicone to help increase adhesion
- For hard to adhere to substrates like aluminum and glass
- Paintable in 30 minutes.
- This caulk meets the requirements of ASTM C-834.
- 10.1 fl. oz. Cartridge



JOBGING	SIZE	COLOR	PK
60-23-43	Cartg.	Clear	12

PREMIUM 100 - CLEAR WATERBORNE ACRYLIC

- A quality Interior/Exterior 100% Acrylic Sealant
- Water clean up
- Excellent adhesion and durability



JOBGING	SIZE	COLOR	PK
60-17-43	Cartg.	White	12

WEATHERTITE™ 101 PLUS SILICONIZED ACRYLIC LATEX WHITE

- A quality Interior/Exterior 100% Acrylic Latex Sealant with silicone
- Designed for slower curing to allow for easier tooling
- Water clean up; Good paintability
- This brilliant white caulk meets the requirements of ASTM C-834 Type OP,
- Grade -18° C.
- 10.1 fl. oz. Cartridge



251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



CAULK & PATCHING

RED DEVIL, INC.

JOBGING	ITEM NO	PK
9952-022	4070	6

JOBGING	ITEM NO	SIZE	PK
9952-023	0409	10.1 fl. oz.	12

FULL CASES ONLY

CAULK

CREATE-A-COLOR® STANDARD CAULK MIXER

- Constructed of sturdy plastic, this unique product tints a single tube of Create-A-Color® Caulk with ordinary latex paint
- Portable and convenient
- Simple to use and cleans easily with soap and water
- Includes syringe for extracting paint and easy-to-follow instruction guide



CREATE-A-COLOR® CAULK

- Specially formulated to be tinted using a Red Devil Create-A-Color® Caulk Mixer,
 - Superior quality sealant that offers excellent adhesion to most surfaces
 - It provides a long-lasting, mildew-resistant seal that cures to an ultra-smooth, satin finish
 - Interior/exterior
 - Odorless; Water clean up
- FULL CASES ONLY

TOWER SEALANTS

JOBGING	ITEM NO	SIZE	COLOR	PK
9751-002	TS-00293	Cartg.	White	12
9751-001	TS-00295	Cartg.	Clear	12

JOBGING	ITEM NO	SIZE	COLOR	PK
60-11-43	TS-00079	Cartg.	Bronze	12
60-12-43	TS-00062	Cartg.	Brown	12
60-15-43	TS-00093	Cartg.	Cedar	12
60-18-43	TS-00109	Cartg.	Gray	12
60-22-43	TS-00086	Cartg.	Almond	12

ALL PURPOSE 100% SILICONE

- General purpose silicone sealant
- Forms a permanent water-proof flexible seal and has excellent primer-less adhesion to most common materials
- Meets the FDA regulations for incidental food contact and can be used for kitchen and sanitary applications
- Use interior or exterior on glass, tiles, ceramic tile, painted wood, plastic and more.
- 10.1 oz.



ACCURA

- A quality 100% Acrylic Latex Caulk fortified with silicone to help increase adhesion
- For hard to adhere to substrates like aluminum and glass
- This caulk meets the requirements of ASTM C-834
- 10 oz.



251-443-6110 **Toll Free: 1-800-621-6952**
251-408-0410 Fax **(In Alabama) 1-800-672-6707**



TOWER SEALANTS

JOBGING	ITEM NO	SIZE	COLOR	PK
9785-075	08643	10.1	Aluminum	12
REPLACED	9751-003			
9785-074	08642	10.1	Black	12
REPLACED	9751-004			

JOBGING	ITEM NO	SIZE	COLOR	PK
9825-002	18001	5.5 oz.	White	12
REPLACED	9751-110			

CAULK

DAP® 100% SILICONE RUBBER SEALANT 10.1 oz CARTRIDGE

Superior quality, multi-purpose sealant. Offers long-lasting flexibility and excellent adhesion. Provide a weatherproof, watertight seal. Resists cracking, crumbling and chalking. Interior/exterior use. 50 year durability guarantee. Meets federal specification TT-S-001543A, class A.



5.5 Oz DAP 18001 White KWIK SEAL KITCHEN & BATH ADHESIVE CAULK

Bonds like a glue and seals like a caulk. Provides a durable, watertight seal. Excellent adhesion and flexibility. Tools easily. Cured caulk is mildew-resistant. Paintable. Easy water clean-up. Kwik Seal® Kitchen And Bath Adhesive Caulk, 5.5 oz Tube, White, Paste



TOWER TECH² ACRYLIC URETHANE ELASTOMERIC SEALANT

JOBGING	ITEM NO	SIZE	COLOR	PK
9751-101	TS-00215	Cartg.	White	12
9751-102	TS-00142	Cartg.	Off White	12
9751-103	TS-00147	Cartg.	Limestone	12
9751-104	TS-00194	Cartg.	Tan	12
9751-105	TS-00196	Cartg.	Stone	12
9751-106	TS-00220	Cartg.	Aluminum Gray	12
9751-107	TS-00225	Cartg.	Redwood Tan	12
9751-108	TS-00123	Cartg.	Bronze	12
9751-109	TS-00130	Cartg.	Clear	12

- Exceeds ASTM C-920
- Has superior adhesion
- With 800% elongation it forms a flexible, durable airtight, water resistant seal
- Offers exceptional protection from extreme weather conditions
- Once cured the bead is mildew resistant
- Exceeds the requirements of Fed. Spec. TTS-00230C, Type S, Class A; ASTM C-920, Grade NS, Class 25 and ASTM C-834 Type OP, Grad-18°C



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



CAULK & PATCHING

DRIPLESS INC.

JOBGING	ITEM NO	DESCRIPTION
9709-004	ETS2000	Rotating Barrel

CAULKING GUNS

ETS2000 - ROTATING BARREL, 10 OZ. CONTRACTOR GRADE

PK	DESCRIPTION
6	Contractor-grade ergonomic caulking gun. Made of a high-end polymer that is lightweight and extremely durable. Barrel rotates for ease-of-use in small spaces. Built-in ladder hook, clean-out rod and spout cutter. Recommended for acrylics, silicones, elastomerics and latex. 12 to 1 ratio.



JOBGING	ITEM NO	DESCRIPTION
9709-002	CR200	Cradle Ratchet

CR200 - CRADLE RATCHET 10 OZ. CONTRACTOR PROFESSIONAL

PK	DESCRIPTION
12	<ul style="list-style-type: none"> • 10:1 Ratio • Ladder Hook, Seal Punch and Cutter 10 ounce professional contractor gun. Ratchet-drive, ladder hook, seal punch and cutter.



JOBGING	ITEM NO	DESCRIPTION
9701-075	3202	2-n-1 Conv. Skeleton
REPLACED	9718-090	

2-in1 CONVERTIBLE STOP DRIP CAULKING SKELETON

PK	DESCRIPTION
12	Features Acu-Vac mechanism that automatically draws any unused caulk back into the tube when the trigger is released.



JOBGING	ITEM NO	DESCRIPTION
9701-074	790	Barrel Style; Ratchet
REPLACED	9718-155	

BARREL STYLE CAULKING GUN

PK	DESCRIPTION
24	<ul style="list-style-type: none"> • Barrel frame • Sturdy cradle for easy loading • Smooth rod, built-in seal punch • Professional results Standard half-barrel, ratchet style.



CAULK & PATCHING

CAULK & PATCHING

PAINTER'S PUTTY

JOBGING	ITEM NO	SIZE	COLOR	PK
9785-032	12242	Pint	White	12
9785-031	12244	Quart	White	6

DAP PAINTERS PUTTY 53

- Ideal for filling nail holes, dents & cracks in wood
- May also be used to glaze wood sashes
- Packaged in water for longer shelf life
- Resists oil bleeding
- Paintable, interior & exterior use



JOBGING	ITEM NO	SIZE	COLOR	PK
9785-078	21245	3.7 oz	White	6
9785-079	21247	3.7 oz	Lt. Oak	6
9785-080	21250	3.7 oz	Cherry	6
9785-081	21251	3.7 oz	Lt. Walnut	6
9785-082	21255	3.7 oz	Dark Walnut	6
9785-083	21262	3.7 oz	Red Oak	6
9785-084	21266	3.7 oz	Ebony	6
9785-085	21268	3.7 oz	Red Mahogany	6
9785-086	21270	3.7 oz	Maple	6
9785-087	21272	3.7 oz	Natural Pine	6
9785-089	21276	3.7 oz	Natural Oak	6

DAP FINISHING PUTTY

- Easy-working putty that quickly repairs minor scratches and holes in interior surfaces
- Resists oil bleeding
- Recommended for filling and hiding countersunk nail holes, gouges, scratches, and mitre joints
- Available in 12 tones to match most finished wood surfaces.
- Interior use.



JOBGING	ITEM NO	SIZE	COLOR	PK
9701-160		1/2 Pint	White	12
9701-161		Quart	White	6
9701-162		Gallon	White	4

CRAWFORD'S SPACKLING

- INTERIOR/EXTERIOR

JOBGING	ITEM NO	SIZE	COLOR	PK
9701-164		1/2 Pint	White	24
9701-165		Quart	White	12

CRAWFORD'S PAINTER'S PUTTY

Ready-to-use, multi-purpose, refined linseed oil-based material. Will not milk, fade or darken after application. Resistant to shrinking and cracking. Use on old and new wood surfaces. Clean up with soap and water. Allow to dry overnight before painting.



PATCHING

JOBGING	ITEM NO	SIZE	PK
9896-179	PPP-8-BB	8 oz.	6

PATCH PLUS PRIMER

- Spackler and primer in one: No flashing (won't change paint sheen) No need to prime
- Makes repairs three times faster than a leading competitor, dries hard
- No shrinking or cracking, ready to paint in 30 minutes
- Anchors paint to wall patch,
- Hides repair after painting, saves time



JOBGING	ITEM NO	SIZE	PK
9896-187	05800	Quart	6

3M LIGHT WEIGHT BODY FILLER 05800



JOBGING	ITEM NO	SIZE	PK
9701-005	10314	4 Lbs.	6
9701-006	63050	25 Lb.	1
REPLACED	9950-043		
	9950-044		

DAP WEBPATCH 90 - FLOOR LEVELING & PATCH

A general-purpose, gypsum-based floor leveler and patch. Patch cracks/holes in drywall, wood, concrete and masonry. Prepares surfaces for carpet, rubber, wood flooring, and other materials. Also for walls and ceilings. Ready to mix with water or Dap Bonding Liquid/Floor Leveler Additive. Not for use under vinyl sheet goods.



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



CAULK & PATCHING

DAP INC.

JOBGING	ITEM NO	SIZE	COLOR	PK
9944-011	12140	1/2 Pint	White	12
9944-045	12141	Pint	White	12
9944-010	12142	Quart	White	6
9944-009	12143	GAL	White	4

JOBGING	ITEM NO	SIZE	COLOR	PK
9968-003	12130	1/2 Pint	White	12
9968-002	12132	Quart	White	6
9968-001	12133	Gal	White	2

JOBGING	ITEM NO	SIZE	COLOR	PK
9785-038	58550	3.5 lbs.	White	4

JOBGING	ITEM NO	SIZE	COLOR	PK
9785-034	12019	Gal	White	2
9785-036	12121	Pint	White	12
9785-035	12122	Quart	White	6

JOBGING	ITEM NO	SIZE	COLOR	PK
9944-007	12108	Cartg	White	12

SPACKLING

DAP FAST 'N' FINAL RTU LIGHTWEIGHT SPACKLING

- Lightweight formula spreads easier.
- Dries faster than vinyl or powder compounds.
- Won't crack, sag or shrink even on larger fills.
- Superior Durability and performance
- Excellent for spot patching and nail holes, cracks and dents in wood, plaster, drywall concrete, and many other.
- No sanding required, dries quickly.



DAP VINYL SPACKLING RTU

- Heavy Duty Formula
- This spackling product is so easy to use
- Ready mixed and creamy smooth, bright white
- Fast drying
- Sticks tight even when sanded to a fine feather edge
- Stays fresh in the can
- Interior/Exterior Use.



FASTPATCH 30 PATCHING COMPOUND POWDER

- For fast repairs to drywall & plaster walls & ceilings
- Fill, level or patch concrete, masonry & wood
- Non-shrinking, strong anchoring for fasteners
- Sets in 30 minutes; Patch and paint in 1 day



DAP '33 GLAZING

- For Glazing Wood and Metal Sash
- Outlasts ordinary putty.
- Smooth and ready-mixes.
- Excellent weather resistance. Knife Grade.



DAP LATEX GLAZING COMPOUND

- For Glazing Wood and Metal Sash
- 10.3 Oz.
- White



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



CAULK & PATCHING

CAULK & PATCHING

HOMAX

JOBGING	ITEM NO	SIZE	PK
9818-009	4070-06	16 oz.	6

SPRAY TEXTURE

ACOUSTIC CEILING TEXTURE - COURSE

Use to patch and repair stained or damaged acoustic popcorn ceilings. The Homax proprietary actuator also allows for easy vertical spraying of acoustic material. Contains real polystyrene chips



JOBGING	ITEM NO	SIZE	PK
9818-020	4092-06	20 oz.	6

WATER BASE WALL SPRAY TEXTURE

A low-odor, water-based formulation of our most popular orange peel and splatter texture. Match a wide range of texture patterns with the advantage of water clean-up. This fast-drying spray texture is a great choice for patching as well as texturing small rooms and accent walls, especially in occupied spaces like offices and hospitals.



3M

JOBGING	ITEM NO	SIZE	PK
9896-178	WF8	8 oz.	12

WOOD FILLER

STAINABLE-8 WOOD FILLER

- Wood fillers are high performance 1-part wood fillers
- The product is ready to use, with no mixing required
- 3M wood fillers dry hard and fast, resist shrinking and cracking, hold nails or screws and are paintable and stainable
- This product can be used on interior or exterior jobs



DAP INC.

JOBGING	ITEM NO	SIZE	COLOR	PK
9745-003	21502	4 oz	Natural	12

DAP PLASTIC WOOD FILLER

- Top-selling wood filler
- High performance, solvent-based wood filler that hardens to act & look like real wood.
- Can be sanded, stained, cut drilled, planned, varnished, painted or lacquered.
- Use on furniture, doors, paneling molding, plywood and other wood surfaces.
- Interior/Exterior



251-443-6110 Toll Free: 1-800-621-6952
 251-408-0410 Fax (In Alabama) 1-800-672-6707

