

MOMENTIVE

100% GE SILICONE SEALANT

Permanently weatherproof and watertight. Will not crack, crumble, dry out or peel. Adheres to most building materials; glass, masonry, metals and woods. Remains permanently flexible. Silicone I All Purpose Silicone Sealant, 10.1 oz. OSHA approved, 29 CFR 191.1. FULL CASES ONLY - Order in increments of 12 only

CAULK

JOBGING	ITEM	SIZE	COLOR	PK
9701-061	M60.01	10.1 oz	Clear	12
<i>Replaced 9705-001</i>				



DAP INC.

DAP® ALEX PLUS® ACRYLIC LATEX CAULK PLUS SILICONE 10.1 OZ.

Superior quality, multi-purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew-resistant. Interior/ exterior use. Paintable. Water clean-up. 35 year durability guarantee. Exceeds ASTM C834 specifications.

FULL CASES ONLY - Order in increments of 12 only

JOBGING	ITEM	SIZE	COLOR	PK
9981-279	18152	Cartg.	White	12



MOBILE PAINT

WEATHERTITE PREMIUM 100 WHITE

- A quality Interior/Exterior 100% Acrylic Caulk
- Fortified with silicone to help increase adhesion
- For hard to adhere to substrates like aluminum and glass
- Paintable in 30 minutes.
- This caulk meets the requirements of ASTM C-834.
- 10.1 fl. oz. Cartridge

JOBGING	SIZE	COLOR	PK
60-21-43	Cartg.	White	12



WEATHERTITE PREMIUM 100 - CLEAR WATERBORNE ACRYLIC

- A quality Interior/Exterior 100% Acrylic Sealant
- Water clean up
- Excellent adhesion and durability

JOBGING	SIZE	COLOR	PK
60-23-43	Cartg.	Clear	12



WEATHERTITE™ 101 PLUS SILICONIZED ACRYLIC LATEX WHITE

- A quality Interior/Exterior 100% Acrylic Latex Sealant with silicone
- Designed for slower curing to allow for easier tooling
- Water clean up; Good paintability
- This brilliant white caulk meets the requirements of ASTM C-834 Type OP,
- Grade -18 ° C.
- 10.1 fl. oz. Cartridge

JOBGING	SIZE	COLOR	PK
60-17-43	Cartg.	White	12



CAULK & PATCHING

CAULK

CREATE-A-COLOR® CAULK

- Specially formulated to be tinted using a Red Devil Create-A-Color® Caulk Mixer,
- Superior quality sealant that offers excellent adhesion to most surfaces
- It provides a long-lasting, mildew-resistant seal that cures to an ultra-smooth, satin finish
- Interior/exterior
- Odorless; Water clean up

FULL CASES ONLY - Order in increments of 12 only

JOBGING	ITEM	SIZE	PK
9952-023	0409	9.4 Fl. Oz.	12



CREATE-A-COLOR® STANDARD CAULK MIXER

- Constructed of sturdy plastic, this unique product tints a single tube of Create-A-Color® Caulk with ordinary latex paint
- Portable and convenient
- Simple to use and cleans easily with soap and water
- Includes syringe for extracting paint and easy-to-follow instruction guide

JOBGING	ITEM NO	PK
9952-022	4070	6



TOWER SEALANTS

ALL PURPOSE 100% SILICONE

- General purpose silicone sealant
- Forms a permanent water-proof flexible seal and has excellent primer-less adhesion to most common materials
- Meets the FDA regulations for incidental food contact and can be used for kitchen and sanitary applications
- Use interior or exterior on glass, tiles, ceramic tile, painted wood, plastic and more.
- 10.1 oz.

JOBGING	ITEM	SIZE	COLOR	PK
9751-002	TS-00293	Cartg.	White	12
9751-001	TS-00295	Cartg.	Clear	12



ACCURA

- A quality 100% Acrylic Latex Caulk fortified with silicone to help increase adhesion
- For hard to adhere to substrates like aluminum and glass
- This caulk meets the requirements of ASTM C-834
- 10 oz.

JOBGING	ITEM	SIZE	COLOR	PK
60-11-43	TS-00079	Cartg.	Bronze	12
60-12-43	TS-00062	Cartg.	Brown	12
60-15-43	TS-00093	Cartg.	Cedar	12
60-18-43	TS-00109	Cartg.	Gray	12
60-22-43	TS-00086	Cartg.	Almond	12
60-19-43	TS-00116	Cartg.	Black	12



251.443.6110
251.408.0410 Fax

Toll Free 1.800.621.6952
(In Alabama) 1.800.672.6707



DAP INC.

DAP® 100% SILICONE RUBBER SEALANT 10.1 oz CARTRIDGE

Superior quality, multi-purpose sealant. Offers long-lasting flexibility and excellent adhesion. Provide a weatherproof, watertight seal. Resists cracking, crumbling and chalking. Interior/exterior use.

CAULK

JOBGING	ITEM	SIZE	COLOR	PK
9785-075	08643	10.1	Aluminum	12
<i>Replaced 9751-003</i>				
9785-074	08642	10.1	Black	12
<i>Replaced 9751-004</i>				



5.5 oz. DAP 18001 White KWIK SEAL KITCHEN & BATH ADHESIVE CAULK

Bonds like a glue and seals like a caulk. Provides a durable, watertight seal. Excellent adhesion and flexibility. Tools easily. Cured caulk is mildew-resistant. Paintable. Easy water clean-up. Kwik Seal®

JOBGING	ITEM	SIZE	COLOR	PK
9825-002	18001	5.5	White	12
<i>Replaced 9751-110</i>				



TOWER SEALANTS

TOWER TECH² ACRYLIC URETHANE ELASTOMERIC SEALANT

- Exceeds ASTM C-920
- Has superior adhesion
- With 800% elongation it forms a flexible, durable airtight, water resistant seal
- Offers exceptional protection from extreme weather conditions
- Once cured the bead is mildew resistant
- Exceeds the requirements of Fed. Spec. TTS-0230C, Type S, Class A; ASTM C-920, Grade NS, Class 25 and ASTM C-834 Type OP, Grad-18 °C

JOBGING	ITEM	SIZE	COLOR	PK
9751-101	TS-00215	Cartg.	White	12
9751-102	TS-00142	Cartg.	Off White	12
9751-103	TS-00147	Cartg.	Limestone	12
9751-104	TS-00194	Cartg.	Tan	12
9751-105	TS-00196	Cartg.	Stone	12
9751-106	TS-00220	Cartg.	Aluminum Gray	12
9751-107	TS-00225	Cartg.	Redwood Gray	12
9751-108	TS-00123	Cartg.	Bronze	12
9751-109	TS-00130	Cartg.	Clear	12
9751-111	TS-00232	Cartg.	Black	12



CAULKING GUNS

DRIPLESS INC

ETS2000 - ROTATING BARREL, 10 OZ. CONTRACTOR GRADE

Contractor-grade ergonomic caulking gun. Made of a high-end polymer that is lightweight and extremely durable. Barrel rotates for ease-of-use in small spaces. Built-in ladder hook, clean-out rod and spout cutter. Recommended for acrylics, silicones, elastomerics and latex. 12 to 1 ratio.

JOBGING	SIZE	DESC	PK
9709-004	ETS2000	Rotating Barrel	6



CR200 - CRADLE RATCHET 10 OZ. CONTRACTOR PROFESSIONAL

- 10:1 Ratio
 - Ladder Hook, Seal Punch and Cutter
- 10 ounce professional contractor gun. Ratchet-drive, ladder hook, seal punch and cutter.

JOBGING	SIZE	DESC	PK
9709-002	CR200	Cradle Ratchet	12



CAULK & PATCHING

CAULK

Z-PRO

2-in-1 CONVERTIBLE STOP DRIP CAULKING SKELETON

Features Acu-Vac mechanism that automatically draws any unused caulk back into the tube when the trigger is released.

JOBGING	SIZE	DESC	PK
9701-075	3202	2-n-1 Conv. Skeleton	12
<i>Replaced 9718-090</i>			



PREMIER

BARREL STYLE CAULKING GUN

- Barrel frame
- Sturdy cradle for easy loading
- Smooth rod, built-in seal punch
- Professional results
- Standard half-barrel, ratchet style.

JOBGING	SIZE	DESC	PK
9701-074	790	Barrel Style; Ratchet	24
<i>Replaced 9718-090</i>			



DAP INC.

PAINTERS PUTTY

DAP PAINTERS PUTTY 53

- Ideal for filling nail holes, dents & cracks in wood
- May also be used to glaze wood sashes
- Packaged in water for longer shelf life
- Resists oil bleeding
- Paintable, interior & exterior use

JOBGING	ITEM	SIZE	PK
9785-032	12242	Pint	12
9785-031	12244	Quart	6



DAP FINISHING PUTTY

- Easy-working putty that quickly repairs minor scratches and holes in interior surfaces
- Resists oil bleeding
- Recommended for filling and hiding countersunk nail holes, gouges, scratches, and mitre joints
- Available in 12 tones to match most finished wood surfaces.
- Interior use

JOBGING	ITEM	SIZE	COLOR	PK
9785-078	21245	3.7 oz	WHITE	6
9785-079	21247	3.7 oz	LT. OAK	6
9785-080	21250	3.7 oz	CHERRY	6
9785-081	21251	3.7 oz	LT. WALNUT	6
9785-082	21255	3.7 oz	DK. WALNUT	6
9785-083	21262	3.7 oz	RED OAK	6
9785-084	21266	3.7 oz	EBONY	6
9785-085	21268	3.7 oz	RED MAHOG.	6
9785-086	21270	3.7 oz	MAPLE	6
9785-087	21272	3.7 oz	NAT. PINE	6
9785-089	21276	3.7 oz	NAT. OAK	6



CRAWFORD'S

CRAWFORD'S VINYL SPACKLING

- Interior/Exterior

JOBGING	ITEM	SIZE	PK
9701-160	31916	1/2 Pint	12
9701-161	31905	Quart	6
9701-162	31901	Gallon	4



CRAWFORD'S PAINTER'S PUTTY

Ready-to-use, multi-purpose, refined linseed oil-based material. Will not milk, fade or darken after application. Resistant to shrinking and cracking. Use on old and new wood surfaces. Clean up with soap and water. Allow to dry overnight before painting.

JOBGING	SIZE	COLOR	PK
9701-164	1/2 Pint	White	24
9701-165	Quart	White	12



3M

PATCHING

PATCH PLUS PRIMER

- Spackler and primer in one: No flashing (won't change paint sheen) No need to prime
- Makes repairs three times faster than a leading competitor, dries hard
- No shrinking or cracking, ready to paint in 30 minutes
- Anchors paint to wall patch,
- Hides repair after painting, saves time

JOBGING	ITEM	SIZE	PK
9896-179	PPP-8-BB	8 oz	6



3M LIGHT WEIGHT BODY FILLER 05800

- Spackler and primer in one: No flashing (won't change paint sheen) No need to prime
- Makes repairs three times faster than a leading competitor, dries hard
- No shrinking or cracking, ready to paint in 30 minutes

JOBGING	ITEM	SIZE	PK
9896-187	05800	Quart	6



DAP INC.

DAP WEBPATCH 90 - FLOOR LEVELING & PATCH

A general-purpose, gypsum-based floor leveler and patch. Patch cracks/holes in drywall, wood, concrete and masonry. Prepares surfaces for carpet, rubber, wood flooring, and other materials. Also for walls and ceilings. Ready to mix with water or Dap Bonding. Liquid/Floor Leveler Additive. Not for use under vinyl sheet goods.

- Anchors paint to wall patch,
- Hides repair after painting, saves time

JOBGING	ITEM	SIZE	PK
9701-005	10314	4 lbs	6
<i>Replaced 9950-043</i>			
9701-006	63050	25 lbs	1
<i>Replaced 9950-044</i>			



DAP INC.

SPACKLING

DAP FAST 'N' FINAL RTU LIGHTWEIGHT SPACKLING

- Lightweight formula spreads easier.
- Dries faster than vinyl or powder compounds.
- Won't crack, sag or shrink even on larger fills.
- Superior Durability and performance
- Excellent for spot patching and nail holes, cracks and dents in wood, plaster, drywall concrete, and many other.
- No sanding required, dries quickly.

JOBGING	ITEM	SIZE	COLOR	PK
9944-011	12140	1/2 Pint	White	12
9944-045	12141	Pint	White	12
9944-010	12142	Quart	White	6
9944-009	12143	Gallon	White	4



CAULK & PATCHING

CAULK

DAP VINYL SPACKLING RTU

- Heavy Duty Formula
- This spackling product is so easy to use
- Ready mixed and creamy smooth, bright white
- Fast drying
- Sticks tight even when sanded to a fine feather edge
- Stays fresh in the can
- Interior/Exterior Use.

JOBGING	ITEM	SIZE	COLOR	PK
9968-003	12130	1/2 Pint	White	12
9968-002	12132	Quart	White	6
9968-001	12133	Gallon	White	2



DAP '33 GLAZING

- For Glazing Wood and Metal Sash
- Outlasts ordinary putty.
- Smooth and ready-mixes.
- Excellent weather resistance. Knife Grade

JOBGING	ITEM	SIZE	COLOR	PK
9785-034	12019	Gallon	White	2
9785-036	12121	Pint	White	12
9785-035	12122	Quart	White	6



DAP LATEX GLAZING COMPOUND

- For Glazing Wood and Metal Sash
- 10.1 Oz.
- White

JOBGING	ITEM	SIZE	COLOR	PK
9944-007	12108	Cartg	White	12



SPRAY TEXTURE

HOMAX

ACOUSTIC CEILING TEXTURE - COURSE

Use to patch and repair stained or damaged acoustic popcorn ceilings. The Homax proprietary actuator also allows for easy vertical spraying of acoustic material. Contains real polystyrene chips

JOBGING	ITEM	SIZE	PK
9818-009	4070-06	16 oz	6



HOMAX

WATER BASE WALL SPRAY TEXTURE

A low-odor, water-based formulation of our most popular orange peel and splatter texture. Match a wide range of texture patterns with the advantage of water clean-up. This fast-drying spray texture is a great choice for patching as well as texturing small rooms and accent walls, especially in occupied spaces like offices and hospitals.

JOBGING	ITEM	SIZE	PK
9818-020	4092-06	20 oz	6



251.443.6110
251.408.0410 Fax

Toll Free 1.800.621.6952
(In Alabama) 1.800.672.6707



HOMAX

4055 AEROSOL TEXTURE OIL-BASED ORANGE PEEL WALL TEXTURE

JOBGING	ITEM	SIZE	DESC	PK
9818-007	4055	20 oz	White	6

An ultra-fast drying, oil-based orange peel/splatter drywall texture designed for the serious handyman, painter or contractor. Pro-size can applies up to 125 sq ft per can and dries in under 30 minutes, allowing the user to quickly complete the job. Homax® Oil Based Orange Peel Wall Texture, 20 oz Aerosol Can, White, 110 sq-ft Coverage, -4 deg F Flash Point



WOOD FILLER

3M

STAINABLE-8 WOOD FILLER

- Wood fillers are high performance 1-part wood fillers
- The product is ready to use, with no mixing required
- 3M wood fillers dry hard and fast, resist shrinking and cracking, hold nails or screws and are paintable and stainable
- This product can be used interior or exterior

JOBGING	ITEM	SIZE	PK
9896-178	WF8	8 oz	12



DAP INC.

DAP PLASTIC WOOD FILLER

- Top-selling wood filler
- High performance, solvent-based wood filler that hardens to act & look like real wood.
- Can be sanded, stained, cut drilled, planned, varnished, painted or lacquered.
- Use on furniture, doors, paneling molding, plywood and other wood surfaces.
- Interior/Exterior

JOBGING	ITEM	SIZE	COLOR	PK
9745-003	21502	4 oz	Natural	12

