

## BRUSHES

### MATCH THE BRUSHES TO THE PROJECT

A professional paint brush applies a smoother finish with less brush strokes; paint is applied faster and with less effort. Plus, if properly cleaned and stored will last for years. Inexpensive paint brushes can shed bristles into the finish and are difficult to work with, producing an inferior finish and more frustration. Matching the right application tool to your job begins with the actual type of primer, paint or clear finish you are using. Paint brushes are categorized according to the type of coating being applied. Selecting the correct bristle is important, this is usually displayed on the package.

Larger brushes carry more paints so there is less dipping to refill, providing maximum coverage with fewer strokes. Selecting a good quality brush is important for a good finish. It is important to select the proper brush for job.

BRUSH	SURFACE
3" - 4"	Exterior siding, decks, fences, masonry, walls, ceilings and doors
2" - 2.5"	Baseboards, cabinets, furniture, stairs, railings, shutters, gutters
2" - 2.5" (Angle Sash)	Window frames, casings, mouldings, cutting-in edges of walls & ceilings
1" - 1.5" (Angle or Flat)	Hobbies & crafts, window mullions, tight corners, very detailed areas

### SRT POLYESTER

Solid Round Tapered Polyester is our contractor-grade paint brush containing a blend of high-quality, durable filament that delivers sharp paint lines and smooth, professional-looking results. Ideal for use with all sheens of interior and exterior water-based, oil-based and alkyd paints, primers, stains, and clear finishes. Available in either flat or angular-sash, with hardwood handle styles including beavertail and standard.

Angle Sash		JOBGING	ITEM	SIZE	PK
		9701-107	22220	2"	12
		9701-108	22225	2.5"	12
		9701-109	22230	3"	12
Flat Sash		JOBGING	ITEM	SIZE	PK
		9701-103	22110	1"	12
		9701-104	22120	2"	12
		9701-105	22130	3"	12



### WOOSTER

#### SILVER TIP ANGLE SASH

White and Silver CT polyester, chisel-trim, very soft formulation, feather-stroke. Rust-resistant, brushed-steel ferrule. Birch hardwood handle.

Angle Sash		JOBGING	ITEM	SIZE	LEN.	THICK	PK
		9991-440	5221-1.5	1.5"	2 7/16"	1/2"	6
		9991-441	5221-2	2"	2 11/16"	9/16"	6
		9991-442	5221-2.5	2.5"	2 15/16"	5/8"	6
		9991-443	5221-3	3"	2 15/16"	11/16"	6



#### SILVER TIP VARNISH FLAT SASH

White and Silver CT polyester, chisel-trim, very soft formulation, feather-stroke. Rust-resistant, brushed-steel ferrule. Birch hardwood handle.

Varnish Flat Sash		JOBGING	ITEM	SIZE	LEN.	THICK	PK
		9991-444	5222-2	2"	2 11/16"	9/16"	6
		9991-445	5222-2.5	2.5"	2 15/16"	5/8"	6
		9991-446	5222-3	3"	2 15/16"	11/16"	6

#### SILVER TIP WALL FLAT SASH

Wall Flat Sash		JOBGING	ITEM	SIZE	LEN.	THICK	PK
		9991-447	5223-3	3"	3 3/16"	7/8"	6

# APPLICATORS

BRUSHES

## POLYESTER

Polyester is our project-grade paint brush containing a generous amount of high-capacity tapered and flagged filament that delivers a smooth finish. Ideal for use with all low sheens of interior and exterior latex and oil-based paints, primers, stains, and clear finishes. Hardwood handle styles, including beavertail and standard brushes.

Angle Sash		SIZE	PK
JOBGING	ITEM		
	9701-118	1.5"	12
	9701-119	2"	12
	9701-120	2.5"	12

Flat Sash		SIZE	PK
JOBGING	ITEM		
	9701-114	1.5"	12
	9701-115	2"	12
	9701-116	3"	12
	9701-117	4"	12



## DYNAMIC

### ARISTOCRAT WHITE CHINA BRISTLE

- Professional quality
- 100% white bristle offers superior length, thickness and taper to ensure a professional finish
- Best used with alkyd or oil based paints
- Stainless steel ferrule
- Unfinished hardwood handle

Angle Sash		SIZE	LEN.	THICK	PK
JOBGING	ITEM				
	9718-520	2"	2 5/16"	7/16"	6

Flat Sash		SIZE	LEN.	THICK	PK
JOBGING	ITEM				
	9718-516	2"	2 7/16"	5/8"	6
	9718-517	2.5"	2 7/8"	5/8"	6
	9718-518	3"	3 1/8"	3/4"	6



## CHIPPER (RESIN) BRUSHES 100% WHITE BRISTLE

- Economy 100% white bristle, square trim
- Tin plated ferrules, unfinished wood handle

WHITE CHIPPER		SIZE	PK
JOBGING	ITEM		
	9718-001	.5"	36
	9718-002	1"	36
	9718-003	1.5"	36
	9718-004	2"	36
	9718-005	2.5"	12
	9718-006	3"	12



SINGLE CHIPPER		SIZE	PK
JOBGING	ITEM		
	9718-007	4"	12



DOUBLE CHIPPER		SIZE	PK
JOBGING	ITEM		
	9718-008	4" DBL	12



## FOAM BRUSH HIGH DENSITY

- High density polyurethane foam with beveled end and wooden dowel style handle
- Use with all finishes, except shellac and lacquer
- Leaves no brush marks or loose bristles
- Use on all smooth surfaces
- SOLD IN CASES ONLY

JOBGING	ITEM	SIZE	PK
9701-055	8505-1	1"	50
<i>Replaced 9718-177</i>			
9701-056	8505-2	2"	50
<i>Replaced 9718-178</i>			
9701-057	8505-3	3"	40
<i>Replaced 9718-179</i>			
9701-058	8505-4	4"	30
<i>Replaced 9718-180</i>			



## STAIN BRUSHES

Blended polyester/China bristle filaments in a 7/8" thick block ferrule brush. Plastic threaded handle for extension pole. Use on shake, cedar and masonry surfaces.

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9701-054	3550-4	4"	2.5"	1.25"	6
<i>Replaced 9718-165</i>					



## RADIATOR BRUSHES

- Bent black bristle radiator brushes

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9718-402	00553	2"	1 7/8"	3/8"	12
9718-404	00555	3"	2 1/8"	7/16"	12



## WHITE CHINA BRISTLE

- Filament: White China Bristle
- Trim: Chisel
- Ferrule: Brass-plated steel
- Handle: Beavertail Handle

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9701-110	23115	1.5"	2 3/16"	.5"	1
<i>Replaced 9703-144</i>					
9701-111	23120	2"	1 15/16"	7/16"	12
<i>Replaced 9703-145</i>					
9701-112	23130	3"	2 3/16"	.5"	12
<i>Replaced 9703-146</i>					



## WOOSTER

### FACTORY SALE SYNTHETIC BRUSHES

- Filament: Gold polyester
- Trim: Chisel
- Ferrule: Brass-plated steel
- Handle: Black solid plastic

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-207	P3972	2"	2 7/16"	9/16"	12
<i>Replaced 9703-119</i>					
9991-208	P3973	3"	3 11/16"	11/16"	12
<i>Replaced 9703-118</i>					
9991-209	P3974	4"	3 11/16"	7/8"	6
<i>Replaced 9703-117</i>					



# APPLICATORS

## PURDY

### PURDY XL SPRIG

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Flat, Nylon/Polyester
- Ferrule: Round Edge Brushed Copper
- Handle: Beaver Tail - Natural Hard Wood Polyester Bristle, Standard Hard Wood Handle

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9936-050	144380330	3"	3 3/16"	5/8"	6
9936-049	144380325	2.5"	2 15/16"	5/8"	



### 3" PURDY XL SWAN PAINT

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Nylon/Polyester
- Ferrule: Square Edge Brushed Copper
- Handle: Beaver Tail - Sealed Natural Hard Wood

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9936-054	144400330	3"	3 7/16"	7/8"	6



### 3" PURDY - PRO-EXTRA GLIDE ANGLED SASH

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Flat, Nylon, China, Polyester Bristle
- Ferrule: Round Edge Stainless Steel
- Handle: Beaver Tail - Natural Hard Wood

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9936-230	144380730	3"	3 7/16"	5/8"	6



### 3" PURDY - PRO-EXTRA SWAN

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Nylon, China, Polyester Bristle
- Ferrule: Square Edge Stainless Steel
- Handle: Beaver Tail - Natural Hard Wood

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9936-231	144400730	3"	3 11/16"	7/8"	6



### 2" PURDY XL CUB ANGLED SASH

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Angular, Nylon/Polyester Bristle
- Ferrule: Round Edge, Brushed Copper
- Handle: Short - Natural Hard Wood

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9936-108	144153320	2"	2 11/16"	9/16"	6



## 2" PURDY XL DALE SASH

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Angular, Nylon/Polyester Bristle
- Ferrule: Square Edge, Brushed Copper
- Handle: Rat Tail - Natural Hard Wood

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9936-109	144080320	2"	2 7/16"	7/16"	6



## 2" PURDY XL GLIDE ANGLED SASH

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Angular, Nylon/Polyester Bristle
- Ferrule: Round Edge, Brushed Copper
- Handle: Fluted - Natural Hard Wood

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9936-068	144152320	2"	2 11/16"	9/16"	6



## 2-1/2" PURDY XL GLIDE ANGLED SASH

- Filament: DuPont® solid, round and tapered Tynex® and Orel® filaments
- Trim: Angular, Nylon/Polyester Bristle
- Ferrule: Round Edge, Brushed Copper
- Handle: Fluted - Natural Hard Wood

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9936-069	144152325	2.5"	2 15/16"	5/8"	6



# APPLICATORS

## WOOSTER

### CHINEX® FTP DUPONT

- Filament: 100% White Dupont Chinex
- Trim: Chisel construction
- Ferrule: Rust-resistant steel
- Handle: Sealed maple wood

#### ANGLE SASH

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-504	4410-2	2"	2 11/16"	9/16"	6
9991-505	4410-2.5	2.5"	2 15/16"	5/8"	6
9991-506	4410-3	3"	3 3/16"	11/16"	6



#### ANGLE VARNISH

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-526	4415	2.5"	2 15/16"	5/8"	6



#### VARNISH

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-511	4413	3"	3 3/16"	11/16"	6



#### WALL

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-525	4414	3"	3 7/16"	7/8"	6



## ULTRA/PRO® FIRM JAGUAR PROFESSIONAL GENERAL PURPOSE

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-375	4173-3	3"	3 7/16"	7/8"	6

- Filament: Purple Nylon/Sable Polyester
- Trim: Chisel construction
- Ferrule: Square steel
- Handle: Beaver Tail Sealed Maple wood



## ULTRA/PRO® EXTRA FIRM SABLE PROFESSIONAL VARNISH

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-417	4157-3	3"	3 3/16"	11/16"	6

- Filament: Chisel, Synthetic Bristle
- Trim: Chisel construction
- Ferrule: Round steel
- Handle: Beaver Tail Sealed Maple wood



## ULTRA/PRO® EXTRA FIRM JAGUAR PROFESSIONAL

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-419	4156-3	3"	3 7/16"	17/8"	6

- Filament: Chisel, Synthetic Bristle
- Trim: Chisel construction
- Ferrule: Square steel
- Handle: Beaver Tail Sealed Maple wood



## WHITE MAJESTIC

- Filament: White China Bristle
- Trim: Chisel construction
- Ferrule: Round rust-resistant steel
- Handle: Sealed Maple wood

Angle Sash JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-500	Z1222-2	2"	2 15/16"	9/16"	6
9991-501	Z1222-2.5	2.5"	3 3/16"	5/8"	6



Varnish JOBGING	ITEM	SIZE	LEN.	THICK	PK
9848-553	L1104-2	2"	3 3/16"	9/16"	6
9848-554	L1104-2.5	2.5"	3 3/16"	5/8"	6
9848-555	L1104-3	3"	3 7/16"	11/16"	6



# APPLICATORS

## ULTRA/PRO®

- Filament: Purple Nylon/Sable Polyester
- Trim: Chisel construction
- Ferrule: Rust-resistant steel
- Handle: Sealed maple wood

### LINDBECK ANGLE SASH

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-428	4174-2	2"	2 11/16"	9/16"	6
9991-394	4174-2.5	2.5"	2 15/16"	5/8"	6
9991-395	4174-3	3"	3 3/16"	11/16"	6



### LINDBECK SABLE ANGLE SASH

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-398	4177-2.5	2.5"	2 15/16"	5/8"	6



### WILLOW THIN ANGLE SASH

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-401	4181-2	2"	2 7/16"	7/16"	6
9991-402	4181-2.5	2.5"	2 11/16"	1/2"	6



## ULTRA/PRO® FIRM SABLE PROFESSIONAL VARNISH

- Filament: Purple Nylon/Sable Polyester
- Trim: Chisel construction
- Ferrule: Round steel
- Handle: Beaver Tail Sealed Maple wood

### FIRM SABLE VARNISH

JOBGING	ITEM	SIZE	LEN.	THICK	PK
9991-429	4176-2	2"	2 11/16"	9/16"	6
9991-430	4176-2.5	2.5"	2 15/16"	5/8"	6
9991-376	4176.3	3"	3 3/16"	11/16"	6

