

NATIONAL GYPSUM

DRYWALL MUD

PROFORM® 50 LB. CARTON ALL PURPOSE JOINT COMPOUND

ProForm® brand All Purpose Joint Compound is a pre-mixed vinyl base compound that may be used directly from the container.


All Purpose Joint Compound is designed to be used for taping, finishing joints and cornerbead, spotting fasteners, skimming and textures, and repairing cracks in gypsum walls

ADVANTAGES

- Applies easily and provides excellent bond.
- Stays strong – highly durable surface.
- Lessens pocking and pinholing.
- Works great for all phases of finishing.

To ensure the best results, use only National Gypsum products together in your construction systems. We do not recommend mixing our products with other brands. All National Gypsum joint compounds are formulated without asbestos and therefore comply with Consumer Product Safety Standards.

| JOBGING | ITEM | SIZE | PK |
|----------|--------|--------|----|
| 9764-001 | JT0073 | 50 LB. | 1 |



PROFORM® LITE BLUE READY MIX LIGHT WEIGHT JOINT COMPOUND

ProForm® brand Lite-Blue Joint Compound is a vinyl base ready mix lightweight joint compound.

Lite-Blue Joint Compound is used for finishing joints and cornerbead, spotting fasteners and textures.

ADVANTAGES

- Reduces shrinkage by up to 33%.
- Lessens pocking and pinholing
- Pulls and sands easily.
- Provides superior finish
- Covers metal beads in two coats.

To ensure the best results, use only National Gypsum products together in your construction systems. We do not recommend mixing our products with other brands. All National Gypsum joint compounds are formulated without asbestos and therefore comply with Consumer Product Safety Standards.

| JOBGING | ITEM | SIZE | PK |
|----------|--------|----------|----|
| 9764-003 | JT0081 | 3.5 Gal. | 1 |



PROFORM® MULTI USE 3.5 LB. CARTON JOINT COMPOUND

ProForm® brand Multi-Use Joint Compound is a vinyl base ready mix joint compound formulated especially for professional drywall contractors and finishers. It may be used directly from the container.

Use for all phases of finishing, from embedding joint tape to final coats.

ADVANTAGES

- Weighs up to 20% less than standard ready mix.
- Shrinks less than all-purpose formula.
- Provides excellent bond.
- Lessens pocking and pinholing.

To ensure the best results, use only National Gypsum products together in your construction systems. We do not recommend mixing our products with other brands. All National Gypsum joint compounds are formulated without asbestos and therefore comply with Consumer Product Safety Standards

| JOBGING | ITEM | SIZE | PK |
|----------|--------|----------|----|
| 9764-002 | JT0087 | 3.5 Gal. | 1 |



DRYWALL

DRYWALL

NATIONAL GYPSUM

DRYWALL MUD

PROFORM® 18 LB.BAG QUICK SET LIGHT JOINT COMPOUND

ProForm® BRAND Quick Set™ and Quick Set™ Lite Setting Compounds are quick setting (hardening) type compounds that are mold resistant and are not affected by humidity once they have set and dried. developed to reduce joint deformities such as ridging and beading and provide shortened joint finishing time.

Features & Benefits:

- Quick and easy mixing and sanding
- Enhanced mold protection
- Offers consistent work/set time
- Excellent for all phases of finishing
- Dries white
- Permits same day finishing
- GREENGUARD Children & schools™ Certified for indoor air quality

Available in 5, 20, 45 & 90 Minute Set Times



| JOBGING | ITEM | DESC. | SIZE | PK |
|----------|--------|---------|--------|----|
| 9764-004 | JH3205 | 5 MIN. | 18 lb. | 1 |
| JOBGING | ITEM | DESC. | SIZE | PK |
| 9764-005 | JH3220 | 20 MIN. | 18 lb. | 1 |
| JOBGING | ITEM | DESC. | SIZE | PK |
| 9764-006 | JH3245 | 45 MIN. | 18 lb. | 1 |
| JOBGING | ITEM | DESC. | SIZE | PK |
| 9764-007 | JH3290 | 90 MIN. | 18 lb. | 1 |

210 MINUTE SET NOT AVAILABLE

PROFORM® 250' JOINT TAPE

ProForm® brand Joint Tape-Heavy conceals and reinforces drywall joints. The tape is buffed on both sides to ensure the best working qualities and bond. A center creasing process allows easy folding for use at corners. Meets ASTM Standard C 475.

Joint Tape is designed for use with ready mix or setting-type jointcompounds and gypsum veneer plaster systems to conceal and reinforce joints of interior walls and ceilings.

| JOBGING | ITEM | SIZE | PK |
|----------|--------|------|----|
| 9764-010 | JT2342 | 250' | 20 |



ALUMINUM POLE SANDER with 48" POLE

High quality, lightweight aluminum pole sanding head. Unique EasyClamp system allows for quick sheet changes. Uses 3-1/4"x9-3/8" abrasives sheets. Acme threaded female end fits standard broom handles and extension poles.

| JOBGING | ITEM | PK |
|--------------------------|-------|----|
| 9701-190 | 09048 | 5 |
| <i>Replaced 9701-030</i> | | |



WALL PATCH

Permanently repair damaged walls and ceilings using the wall patch. Easy to use, self-adhesive mesh holds galvanized metal drywall patch during repair. By refinishing over the product you can create an invisible patch.

| JOBGING | ITEM | SIZE | PK |
|----------|------|--------|----|
| 9701-032 | 5504 | 4"x 4" | 10 |
| 9701-033 | 5506 | 6"x 6" | 10 |
| 9701-034 | 5508 | 8"x 8" | 10 |



3M Large Hole Repair Backer Plate

Patented backer plate that goes behind the wall allows for a flat repair
For 3 in. to 5 in. holes
Great for drywall and plaster
Repair damaged areas on walls and ceilings
For interior/exterior use

| JOBGING | ITEM | SIZE | PK |
|----------|-----------|----------|----|
| 9896-188 | RP6IN-1PK | 5.5 x 6" | 12 |



DRYWALL TOOLS

24" POWER DRIVEN MIXER FIXED IMPELLERS

Plated steel mixer with two fixed impellers for use with 1/2" or larger low-rpm electric drill. 5" diameter impellers. Use with drywall compound, driveway sealer and other materials. 24" overall length.

| JOBGING | ITEM | SIZE | PK |
|--------------------------|-------|----------|----|
| 9701-188 | 09105 | 2-5" Adj | 2 |
| <i>REPLACED 9701-029</i> | | | |



14" STAINLESS STEEL JOINT COMPOUND MUD PAN

Top-of-the-line stainless steel mud pan with watertight heli-arc welded seams resists rust and wear for frequent taping and patching work. Sharp, durable edges for wiping blades clean. Measures 4-1/4"x13-3/4" at top, 2-5/8"x12-1/8" at bottom, 3-1/2" deep.

| JOBGING | ITEM | SIZE | PK |
|--------------------------|-------|------|----|
| 9701-187 | 09014 | 14" | 5 |
| <i>Replaced 9701-026</i> | | | |



12" PLASTIC JOINT COMPOUND MUD PAN

Heavy duty plastic mud pan with molded edges for wiping blades clean. Measures 4-3/4"x13-3/4" at top, 2-5/8"x12-1/2" at bottom; 3-1/4" deep.

| JOBGING | ITEM | SIZE | PK |
|--------------------------|-------|------|----|
| 9701-186 | 09060 | 12" | 10 |
| <i>Replaced 9701-025</i> | | | |



DRYWALL

DRYWALL

Pro Project™ BLUE STEEL BACKING TAPING KNIFE

Blue steel joint knife for drywall joint taping, finishing and with a user approved handle design. Also use as smoothing tool and wallcovering trim tool. Patented, rivet-free construction will not loosen with use.

| JOBGING | ITEM | SIZE | PK |
|--------------------------|-------|------|----|
| 9701-184 | 09253 | 8" | 5 |
| <i>Replaced 9701-027</i> | | | |
| 9701-183 | 09263 | 10" | 5 |



Pro STAINLESS STEEL FOLDED BACKING TAPING KNIFE

Stainless joint knife for drywall joint taping, finishing and patching with a soft-grip handle and our patented Hammer Head® end. Stainless steel blades designed to pro specifications. Rivet-free construction will not loosen with use.

| JOBGING | ITEM | SIZE | PK |
|----------|-------|------|----|
| 9701-180 | 09353 | 8" | 5 |
| 9701-181 | 09363 | 10" | 5 |
| 9701-182 | 09373 | 12" | 5 |



TAPERED ECONOMY ADHESIVE TROWEL (4 1/2"x13 1/8" U-notch)

Tapered ends with rounded corners fit into confined areas. Used for general flooring. 4-1/2"x13-1/8" hardened and tempered steel blade. Polypropylene handle. 1/8"x1/16"x1/16" U-notch on 2 sides.

| JOBGING | ITEM | SIZE | PK |
|--------------------------|-------|----------|----|
| 9701-189 | 18555 | 4" x 12" | 10 |
| <i>Replaced 9701-028</i> | | | |



36"X9" HYDE PROSHIELD RIGID ALUMINUM SHIELD

Professional shield with one-piece runoff lip. Pivotneck system allows blade to be adjusted to any angle. Includes 18" Acme thread hardwood pole. Can also be used with an extension pole.

| JOBGING | ITEM | SIZE | PK |
|----------|-------|----------|----|
| 9701-035 | 28030 | 36" x 9" | 3 |



WOOSTER

DRYWALL AEROSANDER

- Reduces drag for highly efficient drywall sanding
- Stable 360 degree pivot for full surface contact, will not gouge or roll over
- Velcro brand hook and loop fastener for easy sandpaper changes
- Use with 1802 and 1803 AeroSander drywall sandpaper and extension poles, including Sherlock GT

| JOBGING | ITEM | SIZE | PK |
|----------|------|--------------|----|
| 9991-150 | 1801 | 1 x 9.5 x 1" | 4 |



DRYWALL TOOLS

GRIT AEROSANDER DRYWALL SANDPAPER

- For use with the 1801 AeroSander base
- Works 30% faster compared to conventional dry wall sandpaper
- Extremely durable—no slipping, tearing, curling, or clogging
- VELCRO® brand hook-and-loop fastener for easy changes

| JOBGING | ITEM | GRIT | PK |
|----------|------|------|-----------|
| 9991-151 | 1802 | 80g | 10 pk - 6 |
| 9991-152 | 1803 | 120g | 10 pk - 6 |



WOOSTER DUST EATER WITH POLE ADAPTER

Specially treated material for powerful, long-lasting pickup. Attracts and holds dust, cobwebs, and more to clean drywall, ceilings, walls, baseboards, floors. Unique, 16" triangular shape to cover large surfaces and reach into corners. Stable 360-degree pivot for full surface contact, won't flip or gouge wall. Use with extension poles.

| JOBGING | ITEM | SIZE | PK |
|----------|------|--------------------|----|
| 9991-155 | 1800 | 16.2 x 16.5 x 5.2" | 2 |



ECONOMY SERIES DRYWALL HAND SANDER

Super-lightweight hand sander for sanding drywall joints. 3-1/4"x9-3/8" foam sanding pad. Clamps hold abrasive sheets firmly.

| JOBGING | ITEM NO | PK |
|--------------------------|---------|----|
| 9701-185 | 09157 | 5 |
| <i>Replaced 9701-024</i> | | |

