

# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

## ACCESSORIES

### BARENS

#### PRESSURE WASHER GUN WITH LANCE

Trigger gun with molded grip lance. Gun and lance feature quick connect plugs on inlet and sockets on the outlet.

CODE BA06273  
DESC Gun with Lance



### JGB

#### PRESSURE WASHER HOSE

- Flexible and lightweight
- The tube and cover are resistant to most cleaning solutions

CODE PPAHS230  
DESC 50' Hose - 4000PSI  
PPAH5830  
DESC 50' Hose - 7400PSI



#### AIRLESS PAINT HOSE

- Light Weight
- Corrosion resistant
- Minimal hose coil memory

CODE JGB540  
DESC 1/4" x 25' - 3300PSI  
JGB541  
DESC 1/4" x 50' - 3300PSI  
JGB705  
DESC 3/8" x 50' - 3300PSI



### SAFETY AMERICA

#### ADVANZ GOGGLES

- Disposable
- Anti-Fog Lens
- Fits Over eye glasses
- Can be worn with a half face respirator when spray paint accumulates and obstructs vision, the painter simply turns the knob, advancing the film, clearing the vision. After 30 frame advances the goggle is thrown away.

CODE MIADVANZ#30  
DESC Goggles



#### ADVANZ LENS COVERS

- Disposable
- Anti-Fog Lens
- Contains 36 frames of film
- Fits all full faced respirators, hoods and face shields

CODE MIADVANZ  
DESC Lens Covers



### GRACO

## AIRLESS TIPS

COLOR	MAX WPR	TYPICAL APP	TIP GUARD	ITEM	DESC
Blue	4050 PSI	Residential Commercial Industrial	RAC X HandTite (246215)	GLTXxxx	RAC X SwitchTip



COLOR	MAX WPR	TYPICAL APP	TIP GUARD	ITEM	DESC
Green	4050 PSI	Cabinetry Wood Work Metal/Fine	RAC X HandTite (246215)	GFFLPxxx	RAC X SwitchTip Fine Finish Low Pressure






251.443.6110  
251.408.0410 Fax

Toll Free 1.800.621.6952  
(In Alabama) 1.800.672.6707



# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

COLOR	MAX WPR	TYPICAL APP	TIP GUARD	ITEM	DESC	
Black	4050 PSI	Residential Commercial Industrial	RAC 5 HandTite (243161)	G286xxx	RAC 5 SwitchTip	
Yellow	4050 PSI	Parking Lots Roads Warehouse Crosswalks Athletic Fields	RAC 5 HandTite (243161)	GLL5xxx	Linelazer RAC 5 SwitchTip	
Gray	7250 PSI	Virtually all paints and coatings. Solvent & Water Base	XHD (XHD001)	GXHDxxx	New XHD RAC SwitchTip	

## TIP GUARDS

GUN	TIP	ITEM	DESC	
Standard Graco Thread	RAX X, FFT, WR	G246215	RAC X HandTite Tip Guard	
Standard Graco Thread	RAC 5, RAC IV RAC 5 Linelazer	G243161	RAC 5 HandTite Tip Guard	
Standard Graco Thread	XHD RAC	GXHD001	RAC XHD HandTite Tip Guard	

## GRACO

### NEW CONTRACTOR GUN

- Repair Kit: 288488 • Working Pressure: 3600 psi (248 bar, 24.8 MPA)
- Instruction Manual: 311861
- Fluid Orifice Diameter: 0.125 in (3.2 mm)

ITEM	TRIGGER	TIP
G288420	2 - Finger	RAC X 517
G288421	2 - Finger	RAC 5 517
G288425	4 - Finger	RAC X 517



251.443.6110  
251.408.0410 Fax

Toll Free 1.800.621.6952  
(In Alabama) 1.800.672.6707



# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

## NEW FTX GUN

- Repair Kit: 288488 • Working Pressure: 3600 psi (248 bar, 24.8 MPa)
- Instruction Manual: 311861
- Fluid Orifice Diameter: 0.125 in (3.2 mm) Swivel for improved maneuverability at the gun (224457)

ITEM	TRIGGER	TIP
G288429	2 - Finger	RAC X 515
G288430	4 - Finger	RAC 5 515
G288431	4 - Finger	RAC X 515



## SILVER PLUS GUN

- Repair Kit: 235474 • Working Pressure: 5000 psi (345 bar, 34.5 MPa) (For 235462, use repair kit 235475)
- Fluid Orifice Diameter: 0.090 in (2.3 mm)
- Instruction Manual: 309740 0.037 in (0.94 mm): 235462 for light viscosity materials

ITEM	TRIGGER	TIP
G246240	2 - Finger	RAC X 517
G243283	2 - Finger	RAC 5 517



## HEAVY DUTY TEXTURE GUN

- Repair Kit: 237260 • Working Pressure: 4000 psi (276 bar, 27.6 MPa)
- Instruction Manual: 308491 • Fluid Orifice Diameter: 0.125 in (3.2 mm)
- Unique design with large fluid passages, heavy duty spring and 4-finger trigger makes this gun ideal for high solids, smooth textures, mastics, and protective coatings

ITEM	TRIGGER	TIP
G241705	4 - Finger	RAC X 531



## TITAN

### RX-80 AIRLESS SPRAY GUN

- Comfort Grip - Ergonomic design brings added comfort.
- Longer Life Packing Kit - Lasts 50% longer with improved performance.
- Onboard Tools - Smart tools that make jobsite life easier.
- One-Touch Trigger Lock
- Option of 2 or 4 Finger trigger
- Includes 517 reversible tip
- Pressure rated at 3600 PSI (24.8 MPa)

ITEM	TRIGGER
TT0538009	4 - Finger No Tip
TT0538014	2 - Finger No Tip

*Replaces WAG10*

ITEM	TRIGGER
TT0538006	2 - Finger With 517 Tip
TT0538005	4 - Finger With 517 Tip



## PRESSURE POTS

### BINKS/DEVILBISS

#### 2 QUART PRESSURE CUP

2 quart steady-grip aluminum pressure cup with fluid pressure regulator and gauge, and hook handle.

ITEM	DESC
BK80295	2 Qt Pressure Cup



#### 2 QUART PRESSURE CUP COMPLETE OUTFIT

2 quart steady-grip aluminum pressure cup with fluid pressure regulator and gauge, and hook handle.

ITEM	DESC
BK98C357	2 Qt Outfit w/2100 Gun & Hose



251.443.6110  
251.408.0410 Fax

Toll Free 1.800.621.6952  
(In Alabama) 1.800.672.6707



# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

## BINKS/DEVILBISS

### PRESSURE TANKS 2.8 GALLON

Zinc plated lid and all wetted parts in lid assembly and tank shell. Use for solvent-borne materials. Disposable liners available for ease of cleaning.

ITEM	DESC
BK83C210	Single Regulator, No Agitation
BK83C220	Double Regulator, No Agitation
BK83C211	Single Regulator, w/Agitator
BK83C221	Double Regulator, w/agitator



## BINKS/DEVILBISS

### BINKS 2100 GUN

NEW from BINKS, The next generation in conventional spray guns, the 2100 Series. Corrosion resistant SS fluid passages, Air Control Valve in Ergonomic handle, with new MAXIMUM DELIVERY air nozzles. Largest selection of air and fluid nozzles in the industry behind it, the Model 2100 will spray all conventional coatings, including high solids.

ITEM	DESC
BK2100	Conventional Sray Gun



### JGA 510 SPRAY GUN

Setting industry standards for high-production performance, the JGA manual spray gun also offers the comfortable fit and feel operators prefer. An economical option for waterborne and solvent-based material applications, the JGA air spray gun delivers the quality results you need for tough applications.

ITEM	DESC
DJGA510	Conventional Sray Gun



### MBC 510 SPRAY GUN

Combining a drop forged aluminum body with a forged removable spray head, the MBC-510 spray gun is ideal for applications that require maximum output and quick changeovers. Removable spray head allows for reduced downtime on nozzle combination changeovers. MBC spray guns have nickel-plated brass fluid passages and 400-grade stainless steel fluid tip and needle.

ITEM	DESC
DMBC510	Conventional Sray Gun



## PRESSURE WASHERS

### MI-T-M

#### CHOREMASTER PRESSURE WASHER

Pump: Direct drive axial Mi-T-M pump · Stainless-steel and brass unloader · Built-in low pressure detergent injection · Fixed pressure · Thermal relief valve pump protection · In-line water strainer

Engine: Mi-T-M Series engine with low oil shutdown

Frame: 1-inch powder coated steel tube handle for easier handling · Solid steel axle · Dual rubber isolators · Powder coated steel base plate · Quick release gun/wand holder and hose wrap

Unit Includes: Quick connect nozzles (15° and 25° and detergent nozzle)

· 25-foot x 3/8-inch wire braided pressure hose · Professional grade insulated trigger gun with safety lock-off - Two piece · 36 inch lance

ITEM	DESC	PK
MTM-CM2700MLB	2700PSI 2.4 GPM	1



251.443.6110  
251.408.0410 Fax

Toll Free 1.800.621.6952  
(In Alabama) 1.800.672.6707





## MI-T-M

### WORK PRO PRESSURE WASHER

Mi-T-M Corporation recently introduced its new Work Pro Series direct drive, cold water pressure washers, perfect for any commercial or residential application. Work Pro Series Pressure Washer features a 6.5 HP Honda OHV engine with low oil protection. 3200 PSI at 2.4 GPM, direct drive crankshaft pump with brass manifold. Brass and stainless-steel unloader. Thermal relief valve pump protection. Fixed pressure. Built-in low pressure detergent injection. In-line water strainer. 1-inch powder coated steel tube handle allows for increased portability. 3/16-inch powder coated steel base plate. 10-inch pneumatic tubed tire with solid steel axle. Professional grade insulated trigger gun with safety lock-off

- Reliable 6.5 HP Honda OHV engine with low oil protection
- 3200 PSI at 2.4 GPM
- Professional grade insulated trigger gun with safety lock-off. 36" lance, 25' x 3/8" wire braided pressure hose. Quick connect nozzles, 15 and 25 degrees, and detergent nozzle

ITEM	DESC	PK
MTM-WP320004MHB	3200PSI 2.4 GPM	1
<i>Replaced</i>		
MTM-WP30004MHB		



### CA ALUMINUM SERIES

**Pump:** Direct drive triplex piston AR pump with ceramic plungers · Stainless-steel and brass Mi-T-M unloader · Adjustable pressure · Forged brass manifold · Thermal relief valve · In-line water strainer

**Engine:** Performance-proven Honda OHV engine with low-oil protection

**Frame:** Light, corrosion resistance aluminum frame · Aluminum tube handles for easier pulling · Patented vibration isolation plate with four rubber isolators for reduced movement · Aluminum base plate and solid full-length axle · Convenient nozzle holder for quick connect nozzles · Dual rubber isolators

**Unit Includes:** Quick connect nozzles (0°, 15° and 25°) · 50-foot x 3/8-inch non-marking hose with quick connects, swivel and bend restrictors · Professional-grade insulated trigger gun with safety lock-off · 48-inch lance with rubber grip

ITEM	DESC	PK
MTM-CA40041FHA	4000PSI 3.5 GPM	1



### CBA ALUMINUM SERIES - BELT DRIVE

**Pump:** Belt drive triplex piston AR pump with ceramic plungers · Stainless-steel and brass Mi-T-M unloader with adjustable pressure · Forged brass manifold · Thermal relief valve · Water filter with clear sleeve for screen inspection

**Engine:** Performance-proven Honda OHV engine with low-oil protection

**Frame:** Patented vibration isolation plate with four rubber isolators for reduced movement · Lightweight, corrosion resistance aluminum frame · Aluminum tube handles for easier pulling · Aluminum base plate · Two-piece belt guard for quick access to belts · Solid 7/8-inch diameter full-length threaded axle · Convenient nozzle holder for quick connect nozzles · Dual rubber isolators

**Component:** Dual cogged belt drive system for increased belt life

**Unit Includes:** Quick connect nozzles (0°, 15°, 25° and 40°) · 50-foot x 3/8-inch non-marking hose with quick connects, swivel and bend restrictors · Professional-grade insulated trigger gun with safety lock-off · 48-inch lance with rubber grip

ITEM	DESC	PK
MTM-CBA40041FHA	4000PSI 3.5 GPM	1



251.443.6110  
251.408.0410 Fax

Toll Free 1.800.621.6952  
(In Alabama) 1.800.672.6707



# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

## MI-T-M

### CBA ALUMINUM SERIES- 4.0 GPM

Pump: Belt drive triplex piston General pump with ceramic plungers · General pumps feature an external bypass system which allows more water into the system to protect from heat build-up · Stainless-steel and brass Mi-T-M un-loader with adjustable pressure · Forged brass manifold Thermal relief valve · Water filter with clear sleeve for screen inspection

Engine: Performance-proven Honda OHC engine with low-oil protection

Frame: Patented vibration isolation plate with four rubber isolators for reduced movement · Lightweight, corrosion resistance aluminum frame · Aluminum tube handles for easier pulling · Aluminum base plate · Two-piece belt guard for quick access to belts · Solid 7/8-inch diameter full-length threaded axle · Convenient nozzle holder for quick connect nozzles · Dual rubber isolators

ITEM	DESC	PK
MTM-CBA40041FHG	4000PSI 4.0 GPM	1



### 20" SURFACE CLEANER

- 4000-PSI rated
- Heavy-duty anodized aluminum handle
- Professional-grade high pressure trigger gun
- Heat-treated sealed pressure swivel- requires no maintenance
- 180 degree F maximum temperature
- 3.0 to 5.0-GPM water volume

ITEM	DESC	PK
MTM-SC20A	20"	1



## GRACO

### 390 ELECTRIC AIRLESS SPRAYER

If you're looking for a solid workhorse of a sprayer that is built for the professional who is just "starting out" then the 390 is for you. This is Graco's lightest professional sprayer weighing in at only 30 lbs! The 390 is the ideal sprayer for residential jobs because it is so lightweight and portable. Hands down the 390 is the best value in small electric sprayers.

Specifications:

- MAX TIP SIZE: 0.021
- MAX GPM [LPM]: 0.47 [1.8]
- MAX PSI [BAR]: 3300 [227]
- MOTOR: 5/8 hp DC

includes:

- FTx™ Gun
- RAC X™ 515 SwitchTip™ and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax™II Airless Hose

## PUMPS

ITEM	DESC	PK
G17C310	Stand	1
G17C313	Hi-Boy	1



STAND



HI-BOY

251.443.6110  
251.408.0410 Fax

Toll Free 1.800.621.6952  
(In Alabama) 1.800.672.6707



## GRACO

### ULTRA 395 ELECTRIC AIRLESS SPRAYER

The Ultra 395's reliability and performance has made it Graco's most popular small electric sprayer. Features Smart Control 1.0 Pressure Control which provides microprocessor control that delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Proven technology and design make it perfect for professionals who spray daily with a wide range of coatings.

Specifications:

MAX TIP SIZE: 0.023

MAX GPM [LPM]: 0.54 [2.0]

MAX PSI [BAR]: 3300 [227]

MOTOR: 7/8 hp TEFC DC

Includes:

- Contractor™ Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

Lighted Power Plug

- Lighted plug gives quick, positive indication that sprayer has power
- Ideal for trouble-shooting on the job site



- Offset handle with rubber comfort grip is positioned to kick sprayer away from leg for comfortable carrying.



Endurance Pump

- Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel cylinder
- Proven design and rugged construction
- QuikAccess™ intake valve requires only a hammer to access the intake ball to easily clean or clear debris

ITEM	DESC	PK
G17C314	Stand	1
G17C317	Hi-Boy	1
G17C315	Lo-Boy	1



## GRACO

### ULTRA MAX II - 495 ELECTRIC AIRLESS SPRAYER

The Ultra Max II 490/495/595 brings the leading technology and performance of Graco's larger Ultra Max II models into these compact and lightweight sprayers. The Ultra Max II 490/495/595 sprayers are the best choice for professionals looking for superior performance and control for daily use on residential jobs.

Specifications:

MAX TIP SIZE: 0.025

MAX GPM [LPM]: 0.60 [2.3]

MAX PSI [BAR]: 3300 [227]

MOTOR: 1.2 hp Brushless DC

includes:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

ITEM	DESC	PK
G17C333	Stand	1
G17C335	Hi-Boy	1
G17C334	Lo-Boy	1



# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

## GRACO

### ULTRA MAX II 695 ELECTRIC AIRLESS SPRAYER

The Ultra Max II 695/795/1095/1595 are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Designed to get the job done faster, these sprayers have features including the lifetime guaranteed Advantage Drive System, a SmartControl 3.0 Pressure Control that delivers a consistent spray without any pressure fluctuations, an amazingly durable endurance pump and many more!

Ultra Max II 695

Specifications:

MAX TIP SIZE: 0.031-1 Gun

0.023-2 Guns

MAX GPM [LPM]: 0.95 [3.6]

MAX PSI [BAR]: 3300 [227]

MOTOR: 2.0 hp Brushless DC

includes:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m]

BlueMax II Airless Hose

#### STANDARD MODEL

ITEM	DESC	PK
G16W892	Hi-Boy	1
G16W893	Lo-Boy	1

#### PREMIUM MODEL

ITEM	DESC	PK
G16W894	Hi-Boy	1

Premium Model includes: All of the standard model features plus smart control 2.0 digital display. On board tool box. WatchDog pump protection system. Fast flush cleaning system and NEW QuikReel integrated hose reel.



## GRACO

### ULTRA MAX II 795 ELECTRIC AIRLESS SPRAYER

The Ultra Max II 695/795/1095/1595 are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Designed to get the job done faster, these sprayers have features including the lifetime guaranteed Advantage Drive System, a SmartControl 3.0 Pressure Control that delivers a consistent spray without any pressure fluctuations, an amazingly durable endurance pump and many more!!

Ultra Max II 795 Hi-Boy

Specifications:

MAX TIP SIZE: 0.033-1 Gun

0.025-2 Guns

0.019-3 Guns

MAX GPM [LPM]: 1.10 [4.1]

MAX PSI [BAR]: 3300 [227]

MOTOR: 2.2 hp Brushless DC

includes:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15m]

BlueMax II Airless Hose

#### STANDARD MODEL

ITEM	DESC	PK
G16W895	Hi-Boy	1

#### PREMIUM MODEL

ITEM	DESC	PK
G16W896	Hi-Boy	1

Premium Model includes: All of the standard model features plus smart control 3.0 digital display. On board tool box. WatchDog pump protection system. 100 feet of hose. Fast flush cleaning system and NEW QuikReel integrated hose reel.





## GRACO

### ULTRA MAX II 1095 ELECTRIC AIRLESS SPRAYER

The Ultra Max II 695/795/1095/1595 are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Designed to get the job done faster, these sprayers have features including the lifetime guaranteed Advantage Drive System, a SmartControl 3.0 Pressure Control that delivers a consistent spray without any pressure fluctuations, an amazingly durable endurance pump and many more!

Ultra Max II 1095 Hi-Boy

Specifications:

MAX TIP SIZE: 0.035-1 Gun

0.027-2 Guns

0.021-3 Guns

MAX GPM [LPM]: 1.20 [4.5]

MAX PSI [BAR]: 3300 [227]

MOTOR: 2.4 hp Brushless DC

includes:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

STANDARD MODEL		
ITEM	DESC	PK
G16W899	Hi-Boy	1

PREMIUM MODEL		
ITEM	DESC	PK
G16W900	Hi-Boy	1

Premium Model includes: All of the standard model features plus smart control 2.0 digital display, On board tool box, WatchDog pump protection system, Fast flush cleaning system and NEW QukReel integrated hose reel.



## GRACO

### LINELAZER 3400 GAS AIRLESS STRIPING MACHINE

The LineLazer 3400 is the preferred choice with parking lot and seal coating contractors who are looking for professional performance and features, in a one-gun striper.

MAX TIP SIZE  
(2 GUN) 0.025

MAX GPM (LPM)  
(2 GUN) 4.7

MAX PSI (BAR)  
(2.8) 3300 (227)

ITEM	PK
G25M224	1



## GRACO

### LINELAZER IV 3900 & 5900 GAS AIRLESS STRIPING MACHINE

Both the LineLazer IV 3900 and 5900 are the clear leaders for 2-gun professional stripers and are designed specifically to deliver the most precise and consistent lines in the industry.

ITEM	DESC	PK
G17H450	3900 (2 Gun)	1

ITEM	DESC	PK
G17H455	5900 (2 Gun)	1

DESC	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
LineLazer IV 3900	0.025 (2 Gun)	1.25 (4.7)	3300 (227)
LineLazer IV 5900	0.029 (2 Gun)	1.60 (6.0)	3300 (227)





# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

## GRACO

### GRACO KING SERIES XL70-180

Graco's powerful new Air Motor lets you use multiple guns with almost no perceivable pulsation

The higher output per cycle means less total cycles for any given job, which means less wear and tear of the parts and components. This ultimately results in less downtime and maintenance expenses for the user.

The King sprayer is designed to eliminate non-restartable icing stalls for more uptime. The new suction hose design ensures maximum intake rates. The new connector makes for easy maintenance and cleaning. The heavy-duty cart is exceptionally robust and provides protection for the pump and accessories – even if the toughest conditions



## TITAN

### IMPACT 440 AIRLESS PAINT SPRAYER

The IMPACT™ 440 is ideally suited for residential property maintenance, and small commercial applications. This high performance electric airless sprayer will apply all standard architectural primer, paints and coatings efficiently.

•The #1 selling sprayer in the industry is now even better with enhanced features and performance

•Designed to consistently spray 50-100 gallons per week

•Includes LX-80II GUN, TR1 REVERSIBLE TIP, and 50 FOOT HOSE

Sprays: stains, lacquers, enamels, latex, and other low and medium viscosity coatings.

GPM .54

ITEM	DESC	PK
TT805000	Skid	1
TT805016	Hi-Boy	1



## TITAN

### IMPACT 640 AIRLESS PAINT SPRAYER

The IMPACT™ 640 continues the climb to increased performance. This mid-range unit is perfect for residential, property maintenance, rental, and light commercial applications and is equipped with digital technology for improved efficiency.

- Features DigiTrac™ Integrated Digital Display that includes an anti-theft lock
  - Designed to consistently spray 75-100 gallons per week
  - Recommended for small and medium residential and commercial projects
  - Includes LX-80II GUN, TR1 TIP, and 50 FOOT AIRLESS HOSE
- Sprays stains, lacquers, enamels, latex and other low and medium viscosity coatings.

GPM .70

ITEM	DESC	PK
TT805002	Skid	1
TT805004	Hi-Boy	1



### POWRTWIN 8900 PLUS

A step up for projects that requires greater power and output, the POWRTWIN™ 8900 PLUS is our best-selling hydraulic piston sprayer, favored by contractors who want to complete large application jobs in record time with high profit margins. Finally a portable sprayer that can handle new construction all the way up to protective coatings.

- Includes LX-80II GUN, 517 TR1 REVERSIBLE TIP, and 50 FOOT AIRLESS HOSE
- Dependable Honda® 200cc OHV gas-powered engine with Low-Oil Alert
- Fast, easy, tool-free convertibility to 2 hp Extended-Life DC electrical motor
- Handles up to five guns
- Precise pressure control from 400 psi to 3600 psi for spraying low viscosity primers all the way up to heavy bodied coatings, block filler and elastomerics

GPM 2.5

ITEM	DESC	PK
TT0290018	Gas	1



### POWRCOAT 975

POWRCOAT™ sprayers are great for virtually any application, including architectural, industrial maintenance, corrosion control, cold applied roofing, waterproofing, and marine protective coatings

- Anti-icing motor ensures continuous operation
- Proven spool valve design with only five moving parts
- High efficiency air motor
- Long-life packings Severe Service™ pump
- Large 16" pneumatic wheels
- Integrated wall mount bracket
- Heavy duty cart
- Hose wrap and gun holder
- Heavy duty crane hook
- Lubrication adjustment for versatile use
- High capacity outlet filter reduces tip plugging
- Lift handles

GPM 2.1

ITEM	DESC	PK
TT0533975	75:1	1



251.443.6110

251.408.0410 Fax

Toll Free 1.800.621.6952

(In Alabama) 1.800.672.6707



# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

## TITAN

### POWRLINER 850

The POWRLINER™ 850 is designed for entry level contractors, sports turf managers and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf.

- Recommended for smaller jobs on pavement, grass or turf.
- Simple, compact design weighs only 70 lbs. - easy to use, transport and store. Only requires one operator to transport and fits easily in most automobile trunks.
- Powered by a dependable, easy-starting 37.7 cc 4-stroke engine
- Equipped with LX-40 SPRAY GUN, 1908 (4" pattern) TIP and 50 FOOT AIRLESS HOSE.
- Designed to carry 5-gallon pail of paint.
- Removable gun for stenciling and painting.

GPM .33

ITEM	DESC	PK
TT0290005	1 Gun	1



## BULLARD

### 88VX SERIES AIRLINE RESPIRATOR

The Bullard 88VX Series airline respirators offer advancements in comfort and reliable respiratory protection for abrasive blasters and painters. The 88VX Respirator is NIOSH approved as a Type C and CE Continuous Flow Class Respirator (Approval No. TC-19C-293).

- Sewn-in neck cuff provides a physical barrier to airborne contaminants
- Double lining in the neck area enhances durability and protection
- Lightweight inner shell with an adjustable headband suspension
- Airflow is channeled directly to the user's breathing zone
- No fit testing required
- Optional cheek pads for increased stability

ITEM
US88TVX



## SAND BLASTING

## CLEMCO

### 3 CUFT CLASSIC BLAST MACHINE

High-performance, versatile blast cleaning system removes contamination, corrosion, mill scale, and coatings from most surfaces. Produces a uniform surface texture, and creates a surface profile to increase bonding for coatings. Model 1648 holds 3 cubic feet of abrasive providing approximately 15 minutes of blasting at 100 psi with a No. 6 (3/8-inch) nozzle

ITEM
CL001179



### 6 CU. FT. CLASSIC BLAST MACHINE

ITEM
CL21070



251.443.6110  
251.408.0410 Fax

Toll Free 1.800.621.6952  
(In Alabama) 1.800.672.6707



## APOLLO 600 SUPPLIED-AIR RESPIRATORS

The Apollo 600 LP is a type CE, continuous-flow, supplied-air respirator as defined by the National Institute for Occupational Safety and Health (NIOSH) for abrasive blasting to be used with an ambient air pump. The Apollo 600 is high-visibility red and offered with two suspension options.

ITEM  
CL24003



## CLEMCO

### COOL AIR TUBE

The Clemco Cool Air Tube (CAT) allows the blast operator to control the temperature and volume of air to a Clemco high-pressure Type CE continuous flow supplied-air respirator within a preset range and to cool the air by as much as 50° F.

ITEM  
CL04410



## CLEMCO

### CPF 20 AIR FILTER

Clemco's CPF in-line air filters remove moisture, oil, and dirt particles from compressed air before it reaches your respirator. Multi-stage filtration system includes activated charcoal to eliminate odors and improve the "taste" of your breathing air. Available for one to four air lines; used with HP Model respirators. NOTE: CPF filters do not remove CO or convert CO to CO2, or remove other toxic gases.

ITEM  
CL03578



## REPLACEMENT FILTER CARTRIDGES FOR CPF 20

ITEM  
CL03578



## TUNGSTEN CARBIDE LINED RUBBER JACKETED BLAST NOZZLES

A blast nozzle accelerates the air and abrasive as the mixture exits the end of the hose. The taper and length of the nozzle's inlet and outlet determine the pattern and velocity of the abrasive exiting the nozzle. The composition of the liner material determines its resistance to wear.

ITEM	MODEL	ORIFICE ID	LENGTH
CL23513	TSP-3	3/16"	4-3/4"
CL23514	TSP-4	1/4"	5-3/4"
CL23515	TSP-5	5/16"	6-1/4"
CL23516	TSP-6	3/8"	7-3/4"
CL23517	TSP-7	7/16"	8-1/2"
CL23518	TSP-8	1/2"	9-5/8"



# SPRAY & BLASTING EQUIPMENT

SPRAY  
BLASTING

## RPB

### NOVA 2000 HOOD

The RPB NOVA 2000™ has been tested and approved to Respiratory Protection standards worldwide including NIOSH, CE and AS/NZS. NOVA 2000™ has been designed specifically for blasting, by blasting experts. Lightweight pillow foam padding provides maximum comfort and reduces outside noise to a minimum. A soft breathable inner cape allows perfect airflow while keeping out contaminants. The advanced Air Duct Distribution System creates a constant flow of breathable air, prevents fogging and keeps workers cool. The large, double lens offers optimum vision without irritating side glare. Every feature of the NOVA 2000™ has been designed, manufactured and tested to ensure workers' safety and comfort under even the most demanding conditions.

ITEM  
RPBNV2000CT



### NOVA 3 HOOD

Meets standards worldwide, including NIOSH, ANSI Z87.1 - 2010+, ANSI Z89.1 - 2012 Type 1 Class C. The ingenious, fully adjustable, internal "Clever Fit Padding" (patent pending) allows helmets to be individually customized. This avoids discomfort and irritation, giving workers a clear head even under the pressures of their work. The padding has a second, vital, purpose. It's positioned to help absorb sound within the helmet, protecting workers' hearing. Padding is easily removed, and fully machine washable, making helmets hygienic and pleasant to wear even in the most extreme temperatures.

ITEM  
RPBNV3CT

